


Circuit Board And Component Identification Label

Circuit Board and Component Identification Labels



Brady polyimide materials are specially engineered to resist the harsh environments associated with the processing of printed circuit boards, including the high temperatures associated with lead-free processing. The B-473, B-477, B-478 and B-479 materials can also help reduce ESD by utilising a static dissipative adhesive and liner.

Thermal Transfer Printable Products Circuit Board Process Chart

	Through Hole Technology Top Bottom		Surface Mount Technology (SMT) Top or Bottom	After Process
B-426, B-436, B-457, B-477, B-478, B-479, B-497	● Yes	● Yes	● Yes	● Yes
B-422, B-423, B-428, B-433, B-435, B-438, B-459, B-473, B-488, B-498	▲ Yes*	✗ No	✗ No	● Yes

* In extreme high temperatures, testing of these materials is recommended.

Polyimides

High-Temperature White Polyimide (B-457, B-497)
Static Dissipative Polyimide (B-477, B-478, B-479)
High-Temperature Amber Polyimide (B-426)
Removable Amber Polyimide (B-436)

Order Reference	Size (mm)	Specifications on Page	Through Hole Technology Top / Bottom	SMT Top / Bottom	After Process
THT-1-426	19.05 x 6.35	80	●	●	●
THT-1-436	19.05 x 6.35	80	●	●	●
THT-1-457	19.05 x 6.35	81	●	●	●
THT-1-477	19.05 x 6.35	81	●	●	●
THT-1-478	19.05 x 6.35	81	●	●	●
THT-1-479	19.05 x 6.35	81	●	●	●
THT-1-497	19.05 x 6.35	81	●	●	●
THT-2-426	22.86 x 6.35	81	●	●	●
THT-2-457	22.86 x 6.35	81	●	●	●
THT-2-478	22.86 x 6.35	81	●	●	●
THT-2-479	22.86 x 6.35	81	●	●	●
THT-3-426	25.40 x 9.53	82	●	●	●
THT-3-478	25.40 x 9.53	82	●	●	●
THT-3-479	25.40 x 9.53	82	●	●	●
THT-4-426	38.10 x 6.35	83	●	●	●
THT-4-457	38.10 x 6.35	83	●	●	●
THT-4-478	38.10 x 6.35	83	●	●	●
THT-4-479	38.10 x 6.35	83	●	●	●
THT-5-426	25.40 x 12.70	82	●	●	●
THT-5-478	25.40 x 12.70	82	●	●	●
THT-5-479	25.40 x 12.70	82	●	●	●
THT-11-426	6.35 x 6.35	79	●	●	●
THT-11-436	6.35 x 6.35	79	●	●	●
THT-11-457	6.35 x 6.35	79	●	●	●

● Yes, this material will work with this application.

✗ No, this material does not work with this application.

▲ In extreme high temperatures, testing of these materials is recommended.

Circuit Board And Component Identification Label

Polyimides (continued)

High-Temperature White Polyimide (B-457, B-497)
Static Dissipative Polyimide (B-477, B-478, B-479)
High-Temperature Amber Polyimide (B-426)
Removable Amber Polyimide (B-436)



Order Reference	Size (mm)	Specifications on Page	Through Hole Technology Top / Bottom	SMT Top / Bottom	After Process
THT-12-426	12.70 x 11.10	79	●	●	●
THT-12-457	12.70 x 11.10	80	●	●	●
THT-12-477	12.70 x 11.10	80	●	●	●
THT-12-478	12.70 x 11.10	80	●	●	●
THT-12-479	12.70 x 11.10	80	●	●	●
THT-12-497	12.70 x 11.10	80	●	●	●
THT-13-426	31.75 x 6.35	83	●	●	●
THT-13-457	31.75 x 6.35	83	●	●	●
THT-14-426	16.51 x 5.08	80	●	●	●
THT-14-436	16.51 x 5.08	80	●	●	●
THT-14-457	16.51 x 5.08	80	●	●	●
THT-14-477	16.51 x 5.08	80	●	●	●
THT-14-478	16.51 x 5.08	80	●	●	●
THT-14-479	16.51 x 5.08	80	●	●	●
THT-14-497	16.51 x 5.08	80	●	●	●
THT-15-426	50.80 x 6.35	84	●	●	●
THT-15-457	50.80 x 6.35	84	●	●	●
THT-15-477	50.80 x 6.35	84	●	●	●
THT-15-497	50.80 x 6.35	84	●	●	●
THT-16-426	76.20 x 6.35	85	●	●	●
THT-16-478	76.20 x 6.35	85	●	●	●
THT-16-479	76.20 x 6.35	85	●	●	●
THT-16-497	76.20 x 6.35	85	●	●	●
THT-28-426	38.10 x 3.18	83	●	●	●
THT-29-426	31.75 x 9.53	83	●	●	●
THT-29-478	31.75 x 9.53	83	●	●	●
THT-29-479	31.75 x 9.53	83	●	●	●
THT-38-426	9.53 x 9.53	79	●	●	●
THT-38-457	9.53 x 9.53	79	●	●	●
THT-38-477	9.53 x 9.53	79	●	●	●
THT-38-478	9.53 x 9.53	79	●	●	●
THT-38-479	9.53 x 9.53	79	●	●	●
THT-38-497	9.53 x 9.53	79	●	●	●
THT-40-426	34.93 x 6.35	83	●	●	●
THT-40-457	34.93 x 6.35	83	●	●	●
THT-40-477	34.93 x 6.35	83	●	●	●
THT-40-497	34.93 x 6.35	83	●	●	●
THT-41-426	25.40 x 4.75	81	●	●	●
THT-42-426	25.40 x 4.75	81	●	●	●
THT-42-457	25.40 x 4.75	81	●	●	●
THT-42-477	25.40 x 4.75	81	●	●	●
THT-42-478	25.40 x 4.75	81	●	●	●
THT-42-479	25.40 x 4.75	81	●	●	●
THT-42-497	25.40 x 4.75	81	●	●	●
THT-43-426	31.75 x 6.35	83	●	●	●
THT-43-457	31.75 x 6.35	83	●	●	●
THT-43-477	31.75 x 6.35	83	●	●	●
THT-43-478	31.75 x 6.35	83	●	●	●
THT-43-479	31.75 x 6.35	83	●	●	●
THT-43-487	31.75 x 6.35	83	●	●	●
THT-43-497	31.75 x 6.35	83	●	●	●
THT-44-426	34.93 x 6.35	83	●	●	●
THT-44-457	34.93 x 6.35	83	●	●	●
THT-44-477	34.93 x 6.35	83	●	●	●
THT-44-478	34.93 x 6.35	83	●	●	●
THT-44-479	34.93 x 6.35	83	●	●	●
THT-44-487	34.93 x 6.35	83	●	●	●
THT-44-497	34.93 x 6.35	83	●	●	●
THT-45-426	38.10 x 6.35	84	●	●	●
THT-45-457	38.10 x 6.35	84	●	●	●
THT-45-477	38.10 x 6.35	84	●	●	●

- Yes, this material will work with this application.
- ✗ No, this material does not work with this application.
- ▲ In extreme high temperatures, testing of these materials is recommended.

Circuit Board And Component Identification Label

High-Temperature White Polyimide (B-457, B-497)
Static Dissipative Polyimide (B-477, B-478, B-479)
High-Temperature Amber Polyimide (B-426)
Removable Amber Polyimide (B-436)



Order Reference	Size (mm)	Specifications on Page	Through Hole Technology Top / Bottom	SMT Top / Bottom	After Process
GHT-45-478	38.10 x 6.35	84	•	•	•
GHT-45-479	38.10 x 6.35	84	•	•	•
GHT-45-487	38.10 x 6.35	84	•	•	•
GHT-45-497	38.10 x 6.35	84	•	•	•
GHT-46-426	19.05 x 6.35	81	•	•	•
GHT-46-457	19.05 x 6.35	81	•	•	•
GHT-46-477	19.05 x 6.35	81	•	•	•
GHT-46-478	19.05 x 6.35	81	•	•	•
GHT-46-479	19.05 x 6.35	81	•	•	•
GHT-46-487	19.05 x 6.35	81	•	•	•
GHT-46-497	19.05 x 6.35	81	•	•	•
GHT-47-426	16.51 x 5.08	80	•	•	•
GHT-47-457	16.51 x 5.08	80	•	•	•
GHT-47-477	16.51 x 5.08	80	•	•	•
GHT-47-478	16.51 x 5.08	80	•	•	•
GHT-47-479	16.51 x 5.08	80	•	•	•
GHT-47-497	16.51 x 5.08	80	•	•	•
GHT-48-426	50.80 x 6.35	84	•	•	•
GHT-48-477	50.80 x 6.35	84	•	•	•
GHT-48-478	50.80 x 6.35	84	•	•	•
GHT-48-479	50.80 x 6.35	84	•	•	•
GHT-48-487	50.80 x 6.35	84	•	•	•
GHT-48-497	50.80 x 6.35	84	•	•	•
GHT-49-426	22.86 x 6.35	81	•	•	•
GHT-49-457	22.86 x 6.35	81	•	•	•
GHT-49-478	22.86 x 6.35	81	•	•	•
GHT-49-479	22.86 x 6.35	81	•	•	•
GHT-50-426	19.05 x 19.05	81	•	•	•
GHT-51-426	25.40 x 6.35	81	•	•	•
GHT-57-426	17.78 x 9.53	81	•	•	•
GHT-58-457	25.40 x 9.53	82	•	•	•
GHT-58-478	25.40 x 9.53	82	•	•	•
GHT-58-479	25.40 x 9.53	82	•	•	•
GHT-59-457	25.40 x 12.70	82	•	•	•
GHT-59-478	25.40 x 12.70	82	•	•	•
GHT-59-479	25.40 x 12.70	82	•	•	•
GHT-59-497	25.40 x 12.70	82	•	•	•
GHT-60-457	38.10 x 3.18	83	•	•	•
GHT-60-477	38.10 x 3.18	83	•	•	•
GHT-60-478	38.10 x 3.18	83	•	•	•
GHT-60-479	38.10 x 3.18	83	•	•	•
GHT-60-497	38.10 x 3.18	83	•	•	•
GHT-70-457	6.35 x 6.35	79	•	•	•
GHT-70-477	6.35 x 6.35	79	•	•	•
GHT-70-478	6.35 x 6.35	79	•	•	•
GHT-70-497	6.35 x 6.35	79	•	•	•
GHT-71-457	8.00 x 8.00	79	•	•	•
GHT-71-478	8.00 x 8.00	79	•	•	•
GHT-71-479	8.00 x 8.00	79	•	•	•
GHT-72-457	44.45 x 6.35	84	•	•	•
GHT-72-478	44.45 x 6.35	84	•	•	•
GHT-72-479	44.45 x 6.35	84	•	•	•
GHT-72-497	44.45 x 6.35	84	•	•	•
GHT-96-477	12.70 x 7.00	79	•	•	•
GHT-96-487	12.70 x 7.00	79	•	•	•
GHT-96-497	12.70 x 7.00	79	•	•	•
GHT-97-457	12.70 x 5.08	79	•	•	•
GHT-97-477	12.70 x 5.08	79	•	•	•
GHT-97-478	12.70 x 5.08	79	•	•	•
GHT-97-479	12.70 x 5.08	79	•	•	•
GHT-97-487	12.70 x 5.08	79	•	•	•

Yes, this material will work with this application.


No, this material does not work with this application.

In extreme high temperatures, testing of these materials is recommended.

Circuit Board And Component Identification Label

Polyimides (continued)

High-Temperature White Polyimide (B-457, B-497)
Static Dissipative Polyimide (B-477, B-478, B-479)
High-Temperature Amber Polyimide (B-426)
Removable Amber Polyimide (B-436)



Order Reference	Size (mm)	Specifications on Page	Through Hole Technology Top / Bottom	SMT Top / Bottom	After Process
THT-97-497	12.70 x 5.08	79	●	●	●
THT-99-477	12.70 x 12.70	80	●	●	●
THT-99-478	12.70 x 12.70	80	●	●	●
THT-99-479	12.70 x 12.70	80	●	●	●
THT-99-497	12.70 x 12.70	80	●	●	●
THT-103-426	25.40 x 6.35	82	●	●	●
THT-103-478	25.40 x 6.35	82	●	●	●
THT-103-479	25.40 x 6.35	82	●	●	●
THT-103-497	25.40 x 6.35	82	●	●	●
THT-104-497	8.00 x 4.50	79	●	●	●


● Yes, this material will work with this application.

✗ No, this material does not work with this application.

▲ In extreme high temperatures, testing of these materials is recommended.

Circuit Board And Component Identification Label


Label Index by Size



Order Reference	Pieces Per Package	Material	Colour	Labels Per Row	Label Width (mm) A	Label Height (mm) B	Horizontal Repeat (mm) C	Vertical Repeat (mm) D	Web Width (mm) E	Recommended Ribbon Series
00 mm Label Width										
FTCLT-01-457-5	5 000	Polyimide	White	1	5.00	5.00	—	7.99	25.00	R-6000
10 mm Label Width										
FT-94-498-2	1	Vinyl Cloth	White	1	6.10	50.80 m	—	—	25.40	R-7961
35 mm Label Width										
FTCLT-02-457-5	5 000	Polyimide	White	1	6.35	6.35	—	9.33	25.00	R-6000
FT-11-423-10	10 000	Polyester	White	12	6.35	6.35	6.35	9.53	81.28	R-6000
FT-11-426-10	10 000	Polyimide	Amber	12	6.35	6.35	6.35	9.53	81.28	R-4300
FT-11-436-10	10 000	Polyimide	Amber	12	6.35	6.35	6.35	9.53	81.28	R-4300
FT-11-457-10	10 000	Polyimide	White	12	6.35	6.35	6.35	9.53	81.28	R-6000
FT-11-473-10	10 000	Polyester	White	12	6.35	6.35	6.35	9.53	81.28	R-6000
FT-70-350-5	5 000	Polyester/Paper	White	7	6.35	6.35	8.13	8.89	60.20	R-6000
FT-70-350-20	20 000	Polyester/Paper	White	7	6.35	6.35	8.13	8.89	60.20	R-6000
FT-70-457-20	20 000	Polyimide	White	7	6.35	6.35	8.13	8.89	60.20	R-6000
FT-70-473-20	20 000	Polyester	White	7	6.35	6.35	8.13	8.89	60.20	R-6000
FT-70-477-20	20 000	Polyimide	White	7	6.35	6.35	8.13	8.89	60.20	R-6000
FT-70-478-20	20 000	Polyimide	White	7	6.35	6.35	8.13	8.89	60.20	R-6000
FT-70-479-20	20 000	Polyimide	White	7	6.35	6.35	8.13	8.89	60.20	R-6000
FT-70-497-20	20 000	Polyimide	White	7	6.35	6.35	8.13	8.89	60.20	R-6000
FT-90-498-5	5 000	Vinyl Cloth	White	6	6.35	36.50	8.89	39.68	55.88	R-7961
00 mm Label Width										
FTCLT-03-457-5	5 000	Polyimide	White	1	7.00	7.00	—	10.00	25.00	R-6000
00 mm Label Width										
FT-104-497-20	20 000	Polyimide	White	6	8.00	4.50	9.53	7.06	60.71	R-6000
FTCLT-04-457-5	5 000	Polyimide	White	6	8.00	8.00	—	10.98	250	R-6000
FT-71-457-20	20 000	Polyimide	White	6	8.00	8.00	9.53	10.54	60.71	R-6000
FT-71-478-20	20 000	Polyimide	White	6	8.00	8.00	9.53	10.54	60.71	R-6000
FT-71-479-20	20 000	Polyimide	White	6	8.00	8.00	9.53	10.54	60.71	R-6000
08 mm Label Width										
FT-93-498-2	1	Vinyl Cloth	White	1	8.08	50.80 m	—	—	25.40	R-7961
53 mm Label Width										
FTCLT-05-457-5	5 000	Polyimide	White	1	9.35	9.35	—	12.55	25.00	R-6000
FT-38-423-10	10 000	Polyester	White	7	9.53	9.53	11.10	12.07	81.28	R-6000
FT-38-426-10	10 000	Polyimide	Amber	7	9.53	9.53	11.10	12.07	81.28	R-4300
FT-38-457-10	10 000	Polyimide	White	7	9.53	9.53	11.10	12.07	81.28	R-6000
FT-38-473-10	10 000	Polyester	White	7	9.53	9.53	11.10	12.07	81.28	R-6000
FT-38-477-10	10 000	Polyimide	White	7	9.53	9.53	11.10	12.07	81.28	R-6000
FT-38-478-10	10 000	Polyimide	White	7	9.53	9.53	11.10	12.07	81.28	R-6000
FT-38-479-10	10 000	Polyimide	White	7	9.53	9.53	11.10	12.07	81.28	R-6000
FT-38-497-10	10 000	Polyimide	White	7	9.53	9.53	11.10	12.07	81.28	R-6000
FT-92-498-2	1	Vinyl Cloth	White	1	9.53	50.80 m	—	—	25.40	R-7961
2.70 mm Label Width										
FT-36-422-10	10 000	Polyester	White	5	12.70	5.08	15.88	7.62	81.28	R-6000
FT-36-423-10	10 000	Polyester	White	5	12.70	5.08	15.88	7.62	81.28	R-6000
FT-36-473-10	10 000	Polyester	White	5	12.70	5.08	15.88	7.62	81.28	R-6000
FT-97-423-10	10 000	Polyester	White	1	12.70	5.08	—	7.62	17.78	R-6000
FT-97-473-10	10 000	Polyester	White	1	12.70	5.08	—	7.62	17.78	R-6000
FT-97-478-10	10 000	Polyimide	White	1	12.70	5.08	—	7.62	17.78	R-6000
FT-97-479-10	10 000	Polyimide	White	1	12.70	5.08	—	7.62	17.78	R-6000
FT-97-497-10	10 000	Polyimide	White	1	12.70	5.08	—	7.62	17.78	R-6000
FT-96-473-10	10 000	Polyester	White	4	12.70	6.99	15.24	9.53	63.50	R-6000
FT-96-477-10	10 000	Polyimide	White	4	12.70	6.99	15.24	9.53	63.50	R-6000
FT-96-497-10	10 000	Polyimide	White	4	12.70	6.99	15.24	9.53	63.50	R-6000
FT-12-351-10	10 000	Tamper-Resistant Vinyl	White	5	12.70	11.10	16.81	13.64	85.09	R-7961
FT-12-423-10	10 000	Polyester	White	5	12.70	11.10	16.81	13.64	85.09	R-6000
FT-12-426-10	10 000	Polyimide	Amber	5	12.70	11.10	16.81	13.64	85.09	R-4300
FT-12-428-10	10 000	Metalised Polyester	Silver	5	12.70	11.10	16.81	13.64	85.09	R-4300
FT-12-433-10	10 000	Removable Polyester	White	5	12.70	11.10	16.81	13.64	85.09	R-6000
FT-12-435-10	10 000	Glossy Metalised Polyester	Silver	5	12.70	11.10	16.81	13.64	85.09	R-6000


79

Circuit Board And Component Identification Label




Order Reference	Pieces Per Package	Material	Colour	Labels Per Row	Label Width (mm) A	Label Height (mm) B	Horizontal Repeat (mm) C	Vertical Repeat (mm) D	Web Width (mm) E	Recommended Ribbon Series
12.70 mm Label Width (Cont.)										
THT-12-438-10	10 000	Tamper-Evident Polyester	Silver	5	12.70	11.10	16.81	13.64	85.09	R-4300
THT-12-457-10	10 000	Polyimide	White	5	12.70	11.10	16.81	13.64	85.09	R-6000
THT-12-473-10	10 000	Polyester	White	5	12.70	11.10	16.81	13.64	85.09	R-6000
THT-12-477-10	10 000	Polyimide	White	5	12.70	11.10	16.81	13.64	85.09	R-6000
THT-12-478-10	10 000	Polyimide	White	5	12.70	11.10	16.81	13.64	85.09	R-6000
THT-12-479-10	10 000	Polyimide	White	5	12.70	11.10	16.81	13.64	85.09	R-6000
THT-12-497-10	10 000	Polyimide	White	5	12.70	11.10	16.81	13.64	85.09	R-6000
THT-99-473-10	10 000	Polyimide	White	1	12.70	12.70	—	15.24	17.78	R-6000
THT-99-477-10	10 000	Polyimide	White	1	12.70	12.70	—	15.24	17.78	R-6000
THT-99-478-10	10 000	Polyimide	White	1	12.70	12.70	—	15.24	17.78	R-6000
THT-99-479-10	10 000	Polyimide	White	1	12.70	12.70	—	15.24	17.78	R-6000
THT-99-497-10	10 000	Polyimide	White	1	12.70	12.70	—	15.24	17.78	R-6000
THT-68-498-10	10 000	Vinyl Cloth	White	4	12.70	19.05	15.24	21.59	63.50	R-7961
THT-68-499-10	10 000	Nylon Cloth	White	4	12.70	19.05	15.24	21.59	63.50	R-4900
THT-87-498-10	10 000	Vinyl Cloth	White	6	12.70	36.50	15.24	39.68	93.98	R-7961
15.00 mm Label Width										
THT-105-7599	10 000	Polyethylene	White	4	15.00	8.00	15.00	15.93	60.00	R-4300
THT-105U-7596-10	10 000	Vinyl	White	2	15.00	4.10	35.00	6.00	90.00	R-4300
THT-105U-7596-10-YL	10 000	Vinyl	White	2	15.00	4.10	35.00	6.00	90.00	R-4300
16.00 mm Label Width										
THTCLT-06-457-5	5 000	Polyimide	White	1	16.00	5.00	—	7.99	25.00	R-6000
16.51 mm Label Width										
THT-14-351-10	10 000	Tamper-Resistant Vinyl	White	4	16.51	5.08	17.78	7.62	74.93	R-7961
THT-14-423-10	10 000	Polyester	White	4	16.51	5.08	17.78	7.62	74.93	R-6000
THT-14-426-10	10 000	Polyimide	Amber	4	16.51	5.08	17.78	7.62	74.93	R-4300
THT-14-436-10	10 000	Removable Polyimide	Amber	4	16.51	5.08	17.78	7.62	74.93	R-4300
THT-14-437-W-10	10 000	Tedlar®	White	4	16.51	5.08	17.78	7.62	74.93	R-4300
THT-14-438-10	10 000	Tamper-Evident Polyester	Silver	4	16.51	5.08	17.78	7.62	74.93	R-4300
THT-14-457-10	10 000	Polyimide	White	4	16.51	5.08	17.78	7.62	74.93	R-6000
THT-14-459-10	10 000	Polyester	White	4	16.51	5.08	17.78	7.62	74.93	R-6000
THT-14-473-10	10 000	Polyester	White	4	16.51	5.08	17.78	7.62	74.93	R-6000
THT-14-477-10	10 000	Polyimide	White	4	16.51	5.08	17.78	7.62	74.93	R-6000
THT-14-478-10	10 000	Polyimide	White	4	16.51	5.08	17.78	7.62	74.93	R-6000
THT-14-479-10	10 000	Polyimide	White	4	16.51	5.08	17.78	7.62	74.93	R-6000
THT-14-497-10	10 000	Polyimide	White	4	16.51	5.08	17.78	7.62	74.93	R-6000
THT-14-498-10	10 000	Vinyl Cloth	White	4	16.51	5.08	17.78	7.62	74.93	R-7961
THT-47-423-10	10 000	Polyester	White	1	16.51	5.08	—	7.62	21.59	R-6000
THT-47-426-10	10 000	Polyimide	Amber	1	16.51	5.08	—	7.62	21.59	R-4300
THT-47-457-10	10 000	Polyimide	White	1	16.51	5.08	—	7.62	21.59	R-6000
THT-47-473-10	10 000	Polyester	White	1	16.51	5.08	—	7.62	21.59	R-6000
THT-47-477-10	10 000	Polyimide	White	1	16.51	5.08	—	7.62	21.59	R-6000
THT-47-478-10	10 000	Polyimide	White	1	16.51	5.08	—	7.62	21.59	R-6000
THT-47-479-10	10 000	Polyimide	White	1	16.51	5.08	—	7.62	21.59	R-6000
THT-47-497-10	10 000	Polyimide	White	1	16.51	5.08	—	7.62	21.59	R-6000
17.78 mm Label Width										
THT-57-423-10	10 000	Polyester	White	4	17.78	9.53	20.32	12.07	85.09	R-6000
THT-57-426-10	10 000	Polyimide	Amber	4	17.78	9.53	20.32	12.07	85.09	R-4300
THT-57-473-10	10 000	Polyester	White	4	17.78	9.53	20.32	12.07	85.09	R-6000
THT-100-473-10	10 000	Polyester	White	1	17.78	9.53	—	12.07	22.86	R-6000
19.05 mm Label Width										
THT-1-351-10	10 000	Tamper-Resistant Vinyl	White	4	19.05	6.35	20.32	8.89	85.09	R-7961
THT-1-423-10	10 000	Polyester	White	4	19.05	6.35	20.32	8.89	85.09	R-6000
THT-1-426-10	10 000	Polyimide	Amber	4	19.05	6.35	20.32	8.89	85.09	R-4300
THT-1-428-10	10 000	Metallised Polyester	Silver	4	19.05	6.35	20.32	8.89	85.09	R-4300
THT-1-435-10	10 000	Glossy Metallised Polyester	Silver	4	19.05	6.35	20.32	8.89	85.09	R-6000
THT-1-436-10	10 000	Removable Polyimide	Amber	4	19.05	6.35	20.32	8.89	85.09	R-4300
THT-1-437-10	10 000	Tedlar	White	4	19.05	6.35	20.32	8.89	85.09	R-4300
THT-1-438-10	10 000	Tamper-Evident Polyester	Silver	4	19.05	6.35	20.32	8.89	85.09	R-4300

Circuit Board And Component Identification Label




Order Reference	Pieces Per Package	Material	Colour	Labels Per Row	Label Width (mm) A	Label Height (mm) B	Horizontal Repeat (mm) C	Vertical Repeat (mm) D	Web Width (mm) E	Recommended Ribbon Series
19.05 mm Label Width (Cont.)										
THT-1-457-10	10 000	Polyimide	White	4	19.05	6.35	20.32	8.89	85.09	R-6000
THT-1-459-10	10 000	Polyester	White	4	19.05	6.35	20.32	8.89	85.09	R-6000
THT-1-473-10	10 000	Polyester	White	4	19.05	6.35	20.32	8.89	85.09	R-6000
THT-1-477-10	10 000	Polyimide	White	4	19.05	6.35	20.32	8.89	85.09	R-6000
THT-1-478-10	10 000	Polyimide	White	4	19.05	6.35	20.32	8.89	85.09	R-6000
THT-1-479-10	10 000	Polyimide	White	4	19.05	6.35	20.32	8.89	85.09	R-6000
THT-1-488-10	10 000	Polyimide	White	4	19.05	6.35	20.32	8.89	85.09	R-4300
THT-1-497-10	10 000	Polyimide	White	4	19.05	6.35	20.32	8.89	85.09	R-6000
THT-1-498-10	10 000	Vinyl Cloth	White	4	19.05	6.35	20.32	8.89	85.09	R-7961
XHT-1-8423-10	10 000	Polyester	White	4	19.05	6.35	20.32	8.89	85.09	R-7961
THT-46-423-10	10 000	Polyester	White	1	19.05	6.35	—	8.89	24.13	R-6000
THT-46-426-10	10 000	Polyimide	Amber	1	19.05	6.35	—	8.89	24.13	R-4300
THT-46-457-10	10 000	Polyimide	White	1	19.05	6.35	—	8.89	24.13	R-6000
THT-46-473-10	10 000	Polyester	White	1	19.05	6.35	—	8.89	24.13	R-6000
THT-46-477-10	10 000	Polyimide	White	1	19.05	6.35	—	8.89	24.13	R-6000
THT-46-478-10	10 000	Polyimide	White	1	19.05	6.35	—	8.89	24.13	R-6000
THT-46-479-10	10 000	Polyimide	White	1	19.05	6.35	—	8.89	24.13	R-6000
THT-46-497-10	10 000	Polyimide	White	1	19.05	6.35	—	8.89	24.13	R-6000
THTCLT-07-457-5	5 000	Polyimide	White	1	19.05	6.35	—	9.33	25.00	R-6000
THT-50-423-10	10 000	Polyester	White	4	19.05	19.05	20.32	22.23	85.09	R-6000
THT-50-426-10	10 000	Polyimide	Amber	4	19.05	19.05	20.32	22.23	85.09	R-4300
THT-140-488-3	3 000	Polyester	White	2	19.05	22.86	25.44	22.23	53.34	R-4300
THT-91-498-5	5 000	Vinyl Cloth	White	4	19.05	23.80	22.23	26.98	88.90	R-7961
20.00 mm Label Width										
THT-G2-8423-YL	10 000	Polyester	Yellow	4	20.00	8.00	23.00	15.00	108.00	R-7961
20.32 mm Label Width										
THT-95-498-5	5 000	Vinyl Cloth	White	3	20.32	36.50	22.86	39.68	71.12	R-7961
THT-69-499-3	3 000	Nylon Cloth	White	2	20.32	36.50	22.86	39.12	48.26	R-4900
22.86 mm Label Width										
THT-2-423-10	10 000	Polyester	White	3	22.86	6.35	28.58	8.89	85.09	R-6000
THT-2-426-10	10 000	Polyimide	Amber	3	22.86	6.35	28.58	8.89	85.09	R-4300
THT-2-437-10	10 000	Tedlar®	White	3	22.86	6.35	28.58	8.89	85.09	R-6000
THT-2-457-10	10 000	Polyimide	White	3	22.86	6.35	28.58	8.89	85.09	R-6000
THT-2-473-10	10 000	Polyester	White	3	22.86	6.35	28.58	8.89	85.09	R-6000
THT-2-478-10	10 000	Polyester	White	3	22.86	6.35	28.58	8.89	85.09	R-6000
THT-2-479-10	10 000	Polyester	White	3	22.86	6.35	28.58	8.89	85.09	R-6000
THT-49-423-10	10 000	Polyester	White	1	22.86	6.35	—	8.89	27.94	R-6000
THT-49-426-10	10 000	Polyimide	Amber	1	22.86	6.35	—	8.89	27.94	R-4300
THT-49-457-10	10 000	Polyimide	White	1	22.86	6.35	—	8.89	27.94	R-6000
THT-49-473-10	10 000	Polyester	White	1	22.86	6.35	—	8.89	27.94	R-6000
THT-49-478-10	10 000	Polyester	White	1	22.86	6.35	—	8.89	27.94	R-6000
THT-49-479-10	10 000	Polyester	White	1	22.86	6.35	—	8.89	27.94	R-6000
THT-141-488-3	3 000	Polyester	White	2	22.86	22.86	25.40	25.40	53.34	R-4300
25.40 mm Label Width										
THT-41-423-10	10 000	Polyester	White	3	25.40	4.75	27.31	7.29	85.09	R-6000
THT-41-426-10	10 000	Polyimide	Amber	3	25.40	4.75	27.31	7.29	85.09	R-4300
THT-42-423-10	10 000	Polyester	White	1	25.40	4.75	—	6.93	30.48	R-6000
THT-42-426-10	10 000	Polyimide	Amber	1	25.40	4.75	—	6.93	30.48	R-4300
THT-42-457-10	10 000	Polyimide	White	1	25.40	4.75	—	6.93	30.48	R-6000
THT-42-477-10	10 000	Polyimide	White	1	25.40	4.75	—	6.93	30.48	R-6000
THT-42-478-10	10 000	Polyimide	White	1	25.40	4.75	—	6.93	30.48	R-6000
THT-42-479-10	10 000	Polyimide	White	1	25.40	4.75	—	6.93	30.48	R-6000
THT-42-497-10	10 000	Polyimide	White	1	25.40	4.75	—	6.93	30.48	R-6000
THTCLT-08-457-5	5 000	Polyimide	White	1	25.40	6.35	—	15.24	30.48	R-6000
THT-51-423-10	10 000	Polyester	White	3	25.40	6.35	27.31	9.53	85.09	R-6000
THT-51-426-10	10 000	Polyimide	Amber	3	25.40	6.35	27.31	9.53	85.09	R-4300

Circuit Board And Component Identification Label




Order Reference	Pieces Per Package	Material	Colour	Labels Per Row	Label Width (mm) A	Label Height (mm) B	Horizontal Repeat (mm) C	Vertical Repeat (mm) D	Web Width (mm) E	Recommended Ribbon Series
25.40 mm Label Width (Cont.)										
THT-103-423-10	10 000	Polyester	White	1	25.40	6.35	—	8.89	30.48	R-6000
THT-103-478-10	10 000	Polyimide	White	1	25.40	6.35	—	8.89	30.48	R-6000
THT-103-479-10	10 000	Polyimide	White	1	25.40	6.35	—	8.89	30.48	R-6000
THT-103-497-10	10 000	Polyimide	White	1	25.40	6.35	—	8.89	30.48	R-6000
THT-3-423-10	10 000	Polyester	White	3	25.40	9.53	27.31	12.07	85.09	R-6000
THT-3-426-10	10 000	Polyimide	Amber	3	25.40	9.53	27.31	12.07	85.09	R-4300
THT-3-428-10	10 000	Metallised Polyester	Silver	3	25.40	9.53	27.31	12.07	85.09	R-4300
THT-3-473-10	10 000	Polyester	White	3	25.40	9.53	27.31	12.07	85.09	R-6000
THT-3-478-10	10 000	Polyimide	White	3	25.40	9.53	27.31	12.07	85.09	R-6000
THT-3-479-10	10 000	Polyimide	White	3	25.40	9.53	27.31	12.07	85.09	R-6000
XHT-3-8423-10	10 000	Polyester	White	3	25.40	9.53	27.31	12.07	85.09	R-7961
THT-58-457-10	10 000	Polyimide	White	1	25.40	9.53	—	12.07	30.48	R-6000
THT-58-473-10	10 000	Polyester	White	1	25.40	9.53	—	12.07	30.48	R-6000
THT-58-478-10	10 000	Polyimide	White	1	25.40	9.53	—	12.07	30.48	R-6000
THT-58-479-10	10 000	Polyimide	White	1	25.40	9.53	—	12.07	30.48	R-6000
THT-152-499-3	3 000	Nylon Cloth	White	2	25.40	9.53	27.94	12.07	58.42	R-4900
THT-30-425-10	10 000	Polyolefin	White	3	25.40	9.98	27.31	12.07	85.09	R-4300
THT-5-351-10	10 000	Tamper-Resistant Vinyl	White	3	25.40	12.70	27.31	15.24	85.09	R-7961
THT-5-352-10	10 000	Tamper-Resistant Vinyl	Silver	3	25.40	12.70	27.31	15.24	85.09	R-6000
THT-5-422-10	10 000	Polyester	White	3	25.40	12.70	27.31	15.24	85.09	R-6000
THT-5-423-10	10 000	Polyester	White	3	25.40	12.70	27.31	15.24	85.09	R-6000
THT-5-425-10	10 000	Polyolefin	White	3	25.40	12.70	27.31	15.24	85.09	R-4300
THT-5-426-10	10 000	Polyimide	Amber	3	25.40	12.70	27.31	15.24	85.09	R-4300
THT-5-428-10	10 000	Metallised Polyester	Silver	3	25.40	12.70	27.31	15.24	85.09	R-4300
THT-5-433-10	10 000	Removable Polyester	White	3	25.40	12.70	27.31	15.24	85.09	R-6000
THT-5-434-10	10 000	Metallised Polyester	Silver	3	25.40	12.70	27.31	15.24	85.09	R-6000
THT-5-435-10	10 000	Glossy Metallised Polyester	Silver	3	25.40	12.70	27.31	15.24	85.09	R-6000
THT-5-437W-10	10 000	Tedlar®	White	3	25.40	12.70	27.31	15.24	85.09	R-4300
THT-5-437YL-10	10 000	Tedlar	Yellow	3	25.40	12.70	27.31	15.24	85.09	R-4300
THT-5-438-10	10 000	Tamper-Evident Polyester	Silver	3	25.40	12.70	27.31	15.24	85.09	R-4300
THT-5-449-10	10 000	Polyolefin	White	3	25.40	12.70	27.31	15.24	85.09	R-7961
THT-5-459-10	10 000	Polyester	White	3	25.40	12.70	27.31	15.24	85.09	R-6000
THT-5-473-10	10 000	Polyester	White	3	25.40	12.70	27.31	15.24	85.09	R-6000
THT-5-478-10	10 000	Polyimide	White	3	25.40	12.70	27.31	15.24	85.09	R-6000
THT-5-479-10	10 000	Polyimide	White	3	25.40	12.70	27.31	15.24	85.09	R-6000
THT-5-483-10	10 000	Polyester	White	3	25.40	12.70	27.31	15.24	85.09	R-6000
THT-5-484-10	10 000	Polyester	White	3	25.40	12.70	27.31	15.24	85.09	R-6000
THT-5-486-10	10 000	Metallised Polyester	Silver	3	25.40	12.70	27.31	15.24	85.09	R-4300
THT-5-489-10	10 000	Polyester	White	3	25.40	12.70	27.31	15.24	85.09	R-4300
THT-5-498-10	10 000	Vinyl Cloth	White	3	25.40	12.70	27.31	15.24	85.09	R-7961
XHT-5-8423-10	10 000	Polyester	White	3	25.40	12.70	27.31	15.24	85.09	R-7961
THT-39-430-10	10 000	Polyester	Clear	3	25.40	12.70	27.31	15.88	85.09	R-6000
THT-59-423-10	10 000	Polyester	White	1	25.40	12.70	—	15.24	30.48	R-6000
THT-59-457-10	10 000	Polyimide	White	1	25.40	12.70	—	15.24	30.48	R-6000
THT-59-473-10	10 000	Polyester	White	1	25.40	12.70	—	15.24	30.48	R-6000
THT-59-478-10	10 000	Polyimide	White	1	25.40	12.70	—	15.24	30.48	R-6000
THT-59-479-10	10 000	Polyimide	White	1	25.40	12.70	—	15.24	30.48	R-6000
THT-59-483-10	10 000	Polyester	White	1	25.40	12.70	—	15.24	30.48	R-6000
THT-59-486-5	5 000	Metallised Polyester	Silver	1	25.40	12.70	—	15.24	30.48	R-4300
THT-59-489-10	10 000	Polyester	White	1	25.40	12.70	—	15.24	30.48	R-4300
THT-59-497-10	10 000	Polyimide	White	1	25.40	12.70	—	15.24	30.48	R-6000
THT-88-498-5	5 000	Vinyl Cloth	White	2	25.40	19.05	27.94	22.23	58.42	R-7961
THT-89-498-5	5 000	Vinyl Cloth	White	3	25.40	36.50	27.94	39.68	86.36	R-7961

Circuit Board And Component Identification Label




Order Reference	Pieces Per Package	Material	Colour	Labels Per Row	Label Width (mm) A	Label Height (mm) B	Horizontal Repeat (mm) C	Vertical Repeat (mm) D	Web Width (mm) E	Recommended Ribbon Series
27.94 mm Label Width										
THT-31-423-10	10 000	Polyester	White	2	27.94	9.65	30.48	12.70	63.50	R-6000
30.00 mm Label Width										
THT-111-7599	5 000	Polyethylene	White	1	30.00	8.00	30.00	15.93	60.00	R-4300
THT-111U-7596-10	10 000	Vinyl	White	1	30.00	4.10	35.00	6.00	90.00	R-4300
THT-111U-7596-10-YL	10 000	Vinyl	White	1	30.00	4.10	35.00	6.00	90.00	R-4300
THTFP-01-425	2 500	Polyolefin	White	1	30.00	10.00	—	26.03	56.00	R-4300
THTFT-01-425	2 500	Polyolefin	White	1	30.00	10.00	33.00	46.04	69.00	R-4300
31.15 mm Label Width										
THT-13-423-10	10 000	Polyester	White	2	31.75	6.35	33.02	9.53	69.85	R-6000
THT-13-426-10	10 000	Polyimide	Amber	2	31.75	6.35	33.02	9.53	69.85	R-4300
THT-13-433-10	10 000	Removable Polyester	White	2	31.75	6.35	33.02	9.53	69.85	R-6000
THT-13-449-10	10 000	Polyolefin	White	2	31.75	6.35	33.02	9.53	69.85	R-7961
THT-13-457-10	10 000	Polyimide	White	2	31.75	6.35	33.02	9.53	69.85	R-6000
THT-13-473-10	10 000	Polyester	White	2	31.75	6.35	33.02	9.53	69.85	R-6000
THT-43-423-10	10 000	Polyester	White	1	31.75	6.35	—	8.89	36.83	R-6000
THT-43-426-10	10 000	Polyimide	Amber	1	31.75	6.35	—	8.89	36.83	R-4300
THT-43-457-10	10 000	Polyimide	White	1	31.75	6.35	—	8.89	36.83	R-6000
THT-43-473-10	10 000	Polyester	White	1	31.75	6.35	—	8.89	36.83	R-6000
THT-43-477-10	10 000	Polyimide	White	1	31.75	6.35	—	8.89	36.83	R-6000
THT-43-478-10	10 000	Polyimide	White	1	31.75	6.35	—	8.89	36.83	R-6000
THT-43-479-10	10 000	Polyimide	White	1	31.75	6.35	—	8.89	36.83	R-6000
THT-43-497-10	10 000	Polyimide	White	1	31.75	6.35	—	8.89	36.83	R-6000
THT-29-423-10	10 000	Polyester	White	2	31.75	9.53	33.02	12.07	69.85	R-6000
THT-29-426-10	10 000	Polyimide	Amber	2	31.75	9.53	33.02	12.07	69.85	R-4300
THT-29-437W-10	10 000	Tedlar®	White	2	31.75	9.53	33.02	12.07	69.85	R-4300
THT-29-437YL-10	10 000	Tedlar	Yellow	2	31.75	9.53	33.02	12.07	69.85	R-4300
THT-29-478-10	10 000	Polyester	White	2	31.75	9.53	33.02	12.07	69.85	R-6000
THT-29-479-10	10 000	Polyester	White	2	31.75	9.53	33.02	12.07	69.85	R-6000
34.93 mm Label Width										
THT-40-423-10	10 000	Polyester	White	2	34.93	6.35	37.47	9.53	77.47	R-6000
THT-40-426-10	10 000	Polyimide	Amber	2	34.93	6.35	37.47	9.53	77.47	R-4300
THT-40-457-10	10 000	Polyimide	White	2	34.93	6.35	37.47	9.53	77.47	R-6000
THT-40-477-10	10 000	Polyimide	White	2	34.93	6.35	37.47	9.53	77.47	R-6000
THT-40-497-10	10 000	Polyimide	White	2	34.93	6.35	37.47	9.53	77.47	R-6000
THT-44-423-10	10 000	Polyester	White	1	34.93	6.35	—	8.89	40.64	R-6000
THT-44-426-10	10 000	Polyimide	Amber	1	34.93	6.35	—	8.89	40.64	R-4300
THT-44-457-10	10 000	Polyimide	White	1	34.93	6.35	—	8.89	40.64	R-6000
THT-44-477-10	10 000	Polyimide	White	1	34.93	6.35	—	8.89	40.64	R-6000
THT-44-478-10	10 000	Polyimide	White	1	34.93	6.35	—	8.89	40.64	R-6000
THT-44-479-10	10 000	Polyimide	White	1	34.93	6.35	—	8.89	40.64	R-6000
THT-44-497-10	10 000	Polyimide	White	1	34.93	6.35	—	8.89	40.64	R-6000
38.10 mm Label Width										
THT-28-423-10	10 000	Polyester	White	2	38.10	3.18	41.91	6.35	85.09	R-6000
THT-28-426-10	10 000	Polyimide	Amber	2	38.10	3.18	41.91	6.35	85.09	R-4300
THT-60-457-10	10 000	Polyimide	White	1	38.10	3.18	—	5.72	43.18	R-6000
THT-60-477-10	10 000	Polyimide	White	1	38.10	3.18	—	5.72	43.18	R-6000
THT-60-478-10	10 000	Polyimide	White	1	38.10	3.18	—	5.72	43.18	R-6000
THT-60-479-10	10 000	Polyimide	White	1	38.10	3.18	—	5.72	43.18	R-6000
THT-60-497-10	10 000	Polyimide	White	1	38.10	3.18	—	5.72	43.18	R-6000
THT-4-351-10	10 000	Tamper-Resistant Vinyl	White	2	38.10	6.35	41.91	8.89	85.09	R-7961
THT-4-423-10	10 000	Polyester	White	2	38.10	6.35	41.91	8.89	85.09	R-6000
THT-4-426-10	10 000	Polyimide	Amber	2	38.10	6.35	41.91	8.89	85.09	R-4300
THT-4-457-10	10 000	Polyimide	White	2	38.10	6.35	41.91	8.89	85.09	R-6000
THT-4-473-10	10 000	Polyester	White	2	38.10	6.35	41.91	8.89	85.09	R-6000
THT-4-478-10	10 000	Polyester	White	2	38.10	6.35	41.91	8.89	85.09	R-6000
THT-4-479-10	10 000	Polyester	White	2	38.10	6.35	41.91	8.89	85.09	R-6000

Circuit Board And Component Identification Label



Order Reference	Pieces Per Package	Material	Colour	Labels Per Row	Label Width (mm) A	Label Height (mm) B	Horizontal Repeat (mm) C	Vertical Repeat (mm) D	Web Width (mm) E	Recommended Ribbon Series
38.10 mm Label Width (Cont.)										
XTHT-4-8423-10	10 000	Polyester	White	2	38.10	6.35	41.91	8.89	85.09	R-7961
THTCLT-09-457-5	5 000	Polyimide	White	1	38.10	6.35	—	9.33	44.00	R-6000
THT-45-423-10	10 000	Polyester	White	1	38.10	6.35	—	8.89	43.18	R-6000
THT-45-426-10	10 000	Polyimide	Amber	1	38.10	6.35	—	8.89	43.18	R-4300
THT-45-457-10	10 000	Polyimide	White	1	38.10	6.35	—	8.89	43.18	R-6000
THT-45-473-10	10 000	Polyester	White	1	38.10	6.35	—	8.89	43.18	R-6000
THT-45-477-10	10 000	Polyimide	White	1	38.10	6.35	—	8.89	43.18	R-6000
THT-45-478-10	10 000	Polyimide	White	1	38.10	6.35	—	8.89	43.18	R-6000
THT-45-479-10	10 000	Polyimide	White	1	38.10	6.35	—	8.89	43.18	R-6000
THT-45-497-10	10 000	Polyimide	White	1	38.10	6.35	—	8.89	43.18	R-6000
THT-102-422-10	10 000	Polyester	White	1	38.10	9.40	—	12.70	43.18	R-6000
THT-147-422-10	10 000	Polyester	White	2	38.10	9.53	41.91	12.06	85.09	R-6000
THT-147-430-10	10 000	Polyester	Clear	2	38.10	9.53	41.91	12.06	85.09	R-6000
THT-37-352-10	10 000	Tamper-Resistant Vinyl	Silver	2	38.10	12.70	41.91	15.24	85.09	R-6000
THT-37-423-10	10 000	Polyester	White	2	38.10	12.70	41.91	15.24	85.09	R-6000
THT-37-428-10	10 000	Metallised Polyester	Silver	2	38.10	12.70	41.91	15.24	85.09	R-4300
THT-37-434-10	10 000	Metallised Polyester	Silver	2	38.10	12.70	41.91	15.24	85.09	R-6000
THT-37-483-10	10 000	Polyester	White	2	38.10	12.70	41.91	15.24	85.09	R-6000
THT-37-486-10	10 000	Metallised Polyester	Silver	2	38.10	12.70	41.91	15.24	85.09	R-4300
THT-37-489-10	10 000	Polyester	White	2	38.10	12.70	41.91	15.24	85.09	R-4300
THT-6-352-10	10 000	Tamper-Resistant Vinyl	Silver	2	38.10	19.05	41.91	22.23	85.09	R-6000
THT-6-423-10	10 000	Polyester	White	2	38.10	19.05	41.91	22.23	85.09	R-6000
THT-6-428-10	10 000	Metallised Polyester	Silver	2	38.10	19.05	41.91	22.23	85.09	R-4300
THT-6-434-10	10 000	Metallised Polyester	Silver	2	38.10	19.05	41.91	22.23	85.09	R-6000
THT-6-486-10	10 000	Metallised Polyester	Silver	2	38.10	19.05	41.91	22.23	85.09	R-4300
THT-136-499-3	3 000	Nylon Cloth	White	1	38.10	19.05	—	22.23	43.18	R-4900
44.45 mm Label Width										
THT-72-457-10	10 000	Polyimide	White	1	44.45	6.35	—	8.89	49.53	R-6000
THT-72-478-10	10 000	Polyimide	White	1	44.45	6.35	—	8.89	49.53	R-6000
THT-72-479-10	10 000	Polyimide	White	1	44.45	6.35	—	8.89	49.53	R-6000
THT-72-497-10	10 000	Polyimide	White	1	44.45	6.35	—	8.89	49.53	R-6000
50.80 mm Label Width										
THT-15-351-2.5	2 500	Tamper-Resistant Vinyl	White	1	50.80	6.35	—	9.53	55.88	R-7961
THT-15-423-2.5	2 500	Polyester	White	1	50.80	6.35	—	9.53	55.88	R-6000
THT-15-426-2.5	2 500	Polyimide	Amber	1	50.80	6.35	—	9.53	55.88	R-4300
THT-15-457-2.5	2 500	Polyimide	White	1	50.80	6.35	—	9.53	55.88	R-6000
THT-15-473-2.5	2 500	Polyester	White	1	50.80	6.35	—	9.53	55.88	R-6000
THT-15-477-2.5	2 500	Polyimide	White	1	50.80	6.35	—	9.53	55.88	R-6000
THT-15-497-2.5	2 500	Polyimide	White	1	50.80	6.35	—	9.53	55.88	R-6000
THT-48-423-10	10 000	Polyester	White	1	50.80	6.35	—	8.89	55.88	R-6000
THT-48-426-10	10 000	Polyimide	Amber	1	50.80	6.35	—	8.89	55.88	R-4300
THT-48-457-10	10 000	Polyimide	White	1	50.80	6.35	—	8.89	55.88	R-6000
THT-48-473-10	10 000	Polyester	White	1	50.80	6.35	—	8.89	55.88	R-6000
THT-48-477-10	10 000	Polyimide	White	1	50.80	6.35	—	8.89	55.88	R-6000
THT-48-478-10	10 000	Polyimide	White	1	50.80	6.35	—	8.89	55.88	R-6000
THT-48-479-10	10 000	Polyimide	White	1	50.80	6.35	—	8.89	55.88	R-6000
THT-48-497-10	10 000	Polyimide	White	1	50.80	6.35	—	8.89	55.88	R-6000
THT-151-499-3	3 000	Nylon Cloth	White	1	50.80	6.35	—	8.89	55.88	R-4900
THT-79-423-10	10 000	Polyester	White	1	50.80	10.16	—	12.70	55.88	R-6000
THT-17-351-3	3 000	Tamper-Resistant Vinyl	White	1	50.80	25.40	—	28.58	53.98	R-7961
THT-17-352-3	3 000	Tamper-Resistant Vinyl	Silver	1	50.80	25.40	—	28.58	53.98	R-6000
THT-53-352-3	3 000	Tamper-Resistant Vinyl	Silver	1	50.80	12.70	—	15.24	55.88	R-6000
THT-53-423-3	3 000	Polyester	White	1	50.80	12.70	—	15.24	55.88	R-6000
THT-53-424-3	3 000	Paper	White	1	50.80	12.70	—	15.24	55.88	R-4300
THT-53-428-3	3 000	Metallised Polyester	Silver	1	50.80	12.70	—	15.24	55.88	R-4300
THT-53-486-3	3 000	Metallised Polyester	Silver	1	50.80	12.70	—	15.24	55.88	R-4300

Circuit Board And Component Identification Label



Order Reference	Pieces Per Package	Material	Colour	Labels Per Row	Label Width (mm) A	Label Height (mm) B	Horizontal Repeat (mm) C	Vertical Repeat (mm) D	Web Width (mm) E	Recommended Ribbon Series
50.80 mm Label Width (Cont.)										
THT-17-408-3	3 000	Paper	White	1	50.80	25.40	—	28.58	55.88	R-7942
THT-17-422-3	3 000	Polyester	White	1	50.80	25.40	—	28.58	55.88	R-6000
THT-17-423-3	3 000	Polyester	White	1	50.80	25.40	—	28.58	55.88	R-6000
THT-17-424-3	3 000	Paper	White	1	50.80	25.40	—	28.58	55.88	R-4300
THT-17-425-3	3 000	Polypropylene	White	1	50.80	25.40	—	28.58	55.88	R-4300
THT-17-428-3	3 000	Metalised Polyester	Silver	1	50.80	25.40	—	28.58	55.88	R-4300
THT-17-430-3	3 000	Polyester	Clear	1	50.80	25.40	—	28.58	55.88	R-6000
THT-17-434-3	3 000	Metalised Polyester	Silver	1	50.80	25.40	—	28.58	55.88	R-6000
THT-17-438-3	3 000	Tamper-Evident Polyester	Silver	1	50.80	25.40	—	28.58	55.88	R-4300
THT-17-449-3	3 000	Polyolefin	White	1	50.80	25.40	—	28.58	55.88	R-7961
THT-17-483-3	3 000	Polyester	White	1	50.80	25.40	—	28.58	55.88	R-6000
THT-17-484-3	3 000	Polyester	White	1	50.80	25.40	—	28.58	55.88	R-6000
THT-17-486-3	3 000	Metalised Polyester	Silver	1	50.80	25.40	—	28.58	55.88	R-4300
THT-17-489-3	3 000	Polyester	White	1	50.80	25.40	—	28.58	55.88	R-4300
THT-137-499-3	3 000	Nylon Cloth	White	1	50.80	25.40	—	28.58	55.88	R-4900
XHT-17-8423-5	5 000	Polyester	White	1	50.80	25.40	—	28.58	55.58	R-7961
63.50 mm Label Width										
THT-142-423-2.5	2 500	Polyester	White	1	63.50	5.08	—	7.62	68.58	R-6000
69.85 mm Label Width										
THT-7-352-3	3 000	Tamper-Resistant Vinyl	Silver	1	69.85	31.75	—	34.93	74.93	R-6000
THT-7-422-3	3 000	Polyester	White	1	69.85	31.75	—	34.93	74.93	R-6000
THT-7-423-3	3 000	Polyester	White	1	69.85	31.75	—	34.93	74.93	R-6000
THT-7-424-3	3 000	Paper	White	1	69.85	31.75	—	34.93	74.93	R-4300
THT-7-425-3	3 000	Polypropylene	White	1	69.85	31.75	—	34.93	74.93	R-4300
THT-7-428-3	3 000	Metalised Polyester	Silver	1	69.85	31.75	—	34.93	74.93	R-4300
THT-7-483-3	3 000	Polyester	White	1	69.85	31.75	—	34.93	74.93	R-6000
THT-7-486-3	3 000	Metalised Polyester	Silver	1	69.85	31.75	—	34.93	74.93	R-4300
THT-7-489-3	3 000	Polyester	White	1	69.85	31.75	—	34.93	74.93	R-4300
76.20 mm Label Width										
THT-16-423-2.5	2 500	Polyester	White	1	76.20	6.35	—	9.53	81.28	R-6000
THT-16-426-2.5	2 500	Polyimide	Amber	1	76.20	6.35	—	9.53	81.28	R-4300
THT-16-478-2.5	2 500	Polyimide	White	1	76.20	6.35	—	9.53	81.28	R-6000
THT-16-479-2.5	2 500	Polyimide	White	1	76.20	6.35	—	9.53	81.28	R-6000
THT-16-497-2.5	2 500	Polyimide	White	1	76.20	6.35	—	9.53	81.28	R-6000
THT-18-352-3	3 000	Tamper-Resistant Vinyl	Silver	1	76.20	25.40	—	28.58	81.28	R-6000
THT-18-408-3	3 000	Paper	White	1	76.20	25.40	—	28.58	81.28	R-7942
THT-18-422-3	3 000	Polyester	White	1	76.20	25.40	—	28.58	81.28	R-6000
THT-18-423-3	3 000	Polyester	White	1	76.20	25.40	—	28.58	81.28	R-6000
THT-18-424-3	3 000	Paper	White	1	76.20	25.40	—	28.58	81.28	R-4300
THT-18-425-3	3 000	Polypropylene	White	1	76.20	25.40	—	28.58	81.28	R-4300
THT-18-428-3	3 000	Metalised Polyester	Silver	1	76.20	25.40	—	28.58	81.28	R-4300
THT-18-430-3	3 000	Polyester	Clear	1	76.20	25.40	—	28.58	81.28	R-6000
THT-18-433-3	3 000	Removable Polyester	White	1	76.20	25.40	—	28.58	81.28	R-6000
THT-18-434-3	3 000	Metalised Polyester	Silver	1	76.20	25.40	—	28.58	81.28	R-6000
THT-18-435-3	3 000	Glossy Metalised Polyester	Silver	1	76.20	25.40	—	28.58	81.28	R-6000
THT-18-438-3	3 000	Tamper-Evident Polyester	Silver	1	76.20	25.40	—	28.58	81.28	R-4300
THT-18-449-3	3 000	Polyolefin	White	1	76.20	25.40	—	28.58	81.28	R-7961
THT-18-483-3	3 000	Polyester	White	1	76.20	25.40	—	28.58	81.28	R-6000
THT-18-484-3	3 000	Polyester	White	1	76.20	25.40	—	28.58	81.28	R-6000
THT-18-486-3	3 000	Metalised Polyester	Silver	1	76.20	25.40	—	28.58	81.28	R-4300
THT-18-489-3	3 000	Polyester	White	1	76.20	25.40	—	28.58	81.28	R-4300
XHT-18-8423-5	5 000	Polyester	White	1	76.20	25.40	—	28.58	81.28	R-7961
THT-19-352-1	1 000	Tamper-Resistant Vinyl	Silver	1	76.20	50.80	—	53.98	81.28	R-6000
THT-19-408-1	1 000	Paper	White	1	76.20	50.80	—	53.98	81.28	R-7942
THT-19-422-1	1 000	Polyester	White	1	76.20	50.80	—	53.98	81.28	R-6000
THT-19-423-1	1 000	Polyester	White	1	76.20	50.80	—	53.98	81.28	R-6000
THT-19-424-1	1 000	Paper	White	1	76.20	50.80	—	53.98	81.28	R-4300
THT-19-425-1	1 000	Polypropylene	White	1	76.20	50.80	—	53.98	81.28	R-4300
THT-19-428-1	1 000	Metalised Polyester	Silver	1	76.20	50.80	—	53.98	81.28	R-4300
THT-19-430-1	1 000	Polyester	Clear	1	76.20	50.80	—	53.98	81.28	R-6000
THT-19-432-1	1 000	Polyester	Clear	1	76.20	50.80	—	53.98	81.28	R-6000