

Metal Tubular Rivets

Technical data						
Material		Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)				
Surface treatment		Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean				
						
Purchase number	Material	Fig.	D1	S	L	Packaging
2008 2010	MS	1	0.8	0.2	1	5,000
2008 2015	MS	1	0.8	0.2	1.5	5,000
2008 2020	MS	1	0.8	0.2	2	5,000
2008 2025	MS	1	0.8	0.2	2.5	5,000
2008 2030	MS	1	0.8	0.2	3	5,000
2008 2035	MS	1	0.8	0.2	3.5	5,000
2008 2040	CU	1	0.8	0.2	4	5,000
2008 2041	MS	1	0.8	0.2	4	5,000
2008 2045	MS	1	0.8	0.2	4.5	5,000
2008 2050	MS	1	0.8	0.2	5	5,000
2008 2060	MS	1	0.8	0.2	6	5,000
2008 2070	MS	1	0.8	0.2	7	5,000
2008 2080	MS	1	0.8	0.2	8	5,000
2008 2090	MS	1	0.8	0.2	9	5,000
2008 2100	MS	1	0.8	0.2	10	5,000
2010 2010	MS	1	1	0.2	1	5,000
2010 1515	MS	1	1	0.15	1.5	5,000
2010 2015	MS	1	1	0.2	1.5	5,000
2010 2016	MS	2	1	0.2	1.5	5,000
2010 1520	CU	2	1	0.15	2	5,000
2010 2020	MS	1	1	0.2	2	5,000
2010 2021	MS	2	1	0.2	2	5,000
2010 1522	CU	1	1	0.15	2.2	5,000
2000 0700	MS	1	1	0.2	2.5	5,000
2010 2026	MS	1	1	0.2	2.6	5,000
2010 2030	MS	1	1	0.2	3	5,000
2010 2031	MS	2	1	0.2	3	5,000
2010 2035	MS	1	1	0.2	3.5	5,000
2010 2036	MS	2	1	0.2	3.5	5,000
2010 2040	MS	1	1	0.2	4	5,000
2010 2045	MS	1	1	0.2	4.5	5,000
2010 2050	MS	1	1	0.2	5	5,000
2010 2051	MS	2	1	0.2	5	5,000
2010 2055	MS	1	1	0.2	5.5	5,000
2010 2060	MS	1	1	0.2	6	5,000
2010 2070	MS	1	1	0.2	7	5,000
2010 2078	MS	1	1	0.2	7.8	5,000
2010 2080	MS	1	1	0.2	8	5,000
2010 2090	MS	2	1	0.2	9	5,000
2010 2095	MS	2	1	0.2	9.5	5,000
2010 2102	MS	1	1	0.2	10	5,000
2010 2103	MS	2	1	0.2	10	5,000
2010 2120	MS	1	1	0.2	12	5,000
2010 2130	MS	1	1	0.2	13	5,000
2010 2180	MS	2	1	0.2	18	5,000

Metal Tubular Rivets

Technical data						
Material		Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)				
Surface treatment		Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean				
						
Purchase number	Material	Fig.	D1	S	L	Packaging
2012 2015	CU	1	1.2	0.2	1.5	5,000
2012 2016	MS	2	1.2	0.2	1.5	5,000
2012 2018	CU	1	1.2	0.2	1.8	5,000
2012 2020	CU	1	1.2	0.2	2	5,000
2012 2021	CU	2	1.2	0.2	2	5,000
2012 2022	MS	1	1.2	0.2	2	5,000
2012 2024	MS	2	1.2	0.2	2	5,000
2012 2023	CU	1	1.2	0.2	2.3	5,000
2012 2025	CU	1	1.2	0.2	2.5	5,000
2012 2026	CU	2	1.2	0.2	2.5	5,000
2012 2027	MS	1	1.2	0.2	2.5	5,000
2012 2029	MS	2	1.2	0.2	2.5	5,000
2012 2028	CU	1	1.2	0.2	2.8	5,000
2012 1530	CU	1	1.2	0.15	3	5,000
2012 2030	MS	1	1.2	0.2	3	5,000
2012 2032	MS	2	1.2	0.2	3	5,000
2012 2031	CU	2	1.2	0.2	3.1	5,000
2012 2035	CU	1	1.2	0.2	3.5	5,000
2012 2036	MS	1	1.2	0.2	3.5	5,000
2012 2037	MS	2	1.2	0.2	3.5	5,000
2012 2040	MS	1	1.2	0.2	4	5,000
2012 2041	MS	2	1.2	0.2	4	5,000
2012 2045	MS	1	1.2	0.2	4.5	5,000
2012 2046	CU	1	1.2	0.2	4.6	5,000
2012 2050	MS	1	1.2	0.2	5	5,000
2012 2051	MS	2	1.2	0.2	5	5,000
2012 2055	MS	2	1.2	0.2	5.5	5,000
2012 2060	MS	1	1.2	0.2	6	5,000
2012 2062	CU	1	1.2	0.2	6.2	5,000
2012 2065	MS	1	1.2	0.2	6.5	5,000
2012 2070	MS	1	1.2	0.2	7	5,000
2012 2080	MS	2	1.2	0.2	8	5,000
2012 2090	MS	2	1.2	0.2	9	5,000
2012 2100	MS	1	1.2	0.2	10	5,000
2012 2101	MS	2	1.2	0.2	10	5,000
2012 2110	CU	1	1.2	0.2	11	5,000
2012 2120	CU	1	1.2	0.2	12	5,000
2012 2121	MS	2	1.2	0.2	12	5,000
2012 2145	MS	1	1.2	0.2	14.5	5,000
2012 2150	MS	1	1.2	0.2	15	5,000
2012 2155	MS	1	1.2	0.2	15.5	5,000
2012 2180	MS	1	1.2	0.2	18	5,000
2013 2025	MS	1	1.3	0.2	2.5	5,000
2013 2060	MS	1	1.3	0.2	6	5,000

Metal Tubular Rivets

Technical data						
Material		Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)				
Surface treatment		Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean				
 						
Purchase number	Material	Fig.	D1	S	L	Packaging
2014 2012	MS	2	1.4	0.2	1.2	5,000
2014 2020	MS	1	1.4	0.2	2	5,000
2014 2026	MS	1	1.4	0.2	2.6	5,000
2014 2030	MS	2	1.4	0.2	3	5,000
2014 2045	MS	1	1.4	0.2	4.5	5,000
2014 2050	MS	1	1.4	0.2	5	5,000
2015 2015	MS	2	1.5	0.2	1.5	5,000
2015 2517	MS	2	1.5	0.25	1.7	5,000
2015 2020	MS	2	1.5	0.2	2	5,000
2015 2520	MS	1	1.5	0.25	2	5,000
2015 2022	CU	1	1.5	0.2	2.2	5,000
2015 1525	CU	1	1.5	0.15	2.5	5,000
2015 2025	CU	1	1.5	0.2	2.5	5,000
2015 2026	MS	2	1.5	0.2	2.5	5,000
2015 2525	CU	1	1.5	0.25	2.5	5,000
2015 2527	MS	1	1.5	0.25	2.5	5,000
2015 2528	MS	2	1.5	0.25	2.5	5,000
2015 2529	ST	2	1.5	0.25	2.5	5,000
2015 2526	CU	1	1.5	0.25	2.6	5,000
2015 2030	CU	1	1.5	0.2	3	5,000
2015 2031	MS	1	1.5	0.2	3	5,000
2015 2032	MS	2	1.5	0.2	3	5,000
2015 2530	CU	2	1.5	0.25	3	5,000
2015 2531	MS	2	1.5	0.25	3	5,000
2015 1531	CU	1	1.5	0.15	3.1	5,000
2015 2035	CU	1	1.5	0.2	3.5	5,000
2015 2036	CU	2	1.5	0.2	3.5	5,000
2015 2037	MS	1	1.5	0.2	3.5	5,000
2015 2038	MS	2	1.5	0.2	3.5	5,000
2015 2535	CU	2	1.5	0.25	3.5	5,000
2015 2536	MS	2	1.5	0.25	3.5	5,000
2015 2040	MS	1	1.5	0.2	4	5,000
2015 2041	MS	2	1.5	0.2	4	5,000
2015 2540	MS	1	1.5	0.25	4	5,000
2015 3040	AL	2	1.5	0.3	4	5,000
2015 2045	MS	1	1.5	0.2	4.5	5,000
2015 2046	MS	2	1.5	0.2	4.5	5,000
2015 2545	CU	2	1.5	0.25	4.5	5,000
2015 2050	MS	1	1.5	0.2	5	5,000
2015 2051	MS	2	1.5	0.2	5	5,000
2015 2055	MS	1	1.5	0.2	5.5	5,000
2015 2056	MS	2	1.5	0.2	5.5	5,000
2015 2057	MS	1	1.5	0.2	5.7	5,000
2015 2558	MS	2	1.5	0.25	5.8	5,000
2015 2060	MS	1	1.5	0.2	6	5,000

Metal Tubular Rivets

Technical data						
Material		Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)				
Surface treatment		Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean				
 						
Purchase number	Material	Fig.	D1	S	L	Packaging
2015 2560	MS	1	1.5	0.25	6	5,000
2015 2065	MS	2	1.5	0.2	6.5	5,000
2015 2070	MS	1	1.5	0.2	7	5,000
2015 2071	MS	2	1.5	0.2	7	5,000
2015 2570	MS	2	1.5	0.25	7	5,000
2015 2075	MS	2	1.5	0.2	7.5	5,000
2015 2575	CU	1	1.5	0.25	7.5	5,000
2015 2080	MS	1	1.5	0.2	8	5,000
2015 2081	MS	2	1.5	0.2	8	5,000
2015 2590	MS	2	1.5	0.25	9	5,000
2015 2100	CU	2	1.5	0.2	10	5,000
2015 2101	MS	1	1.5	0.2	10	5,000
2015 2102	MS	2	1.5	0.2	10	5,000
2015 2510	MS	2	1.5	0.25	10	5,000
2015 2110	MS	2	1.5	0.2	11	5,000
2015 2511	CU	1	1.5	0.25	11	5,000
2015 2508	CU	2	1.5	0.25	11	5,000
2015 2509	MS	1	1.5	0.25	11	5,000
2015 2120	MS	2	1.5	0.2	12	5,000
2015 2512	CU	1	1.5	0.25	12	5,000
2015 2522	MS	1	1.5	0.25	12	5,000
2015 2523	CU	1	1.5	0.25	12.5	5,000
2015 2130	MS	1	1.5	0.2	13	5,000
2015 2513	CU	1	1.5	0.25	13	5,000
2015 2524	MS	2	1.5	0.25	13	5,000
2015 2140	MS	1	1.5	0.2	14	5,000
2015 2514	CU	1	1.5	0.25	14	5,000
2015 2534	MS	1	1.5	0.25	14	5,000
2015 2150	MS	2	1.5	0.2	15	5,000
2015 2515	CU	1	1.5	0.25	15	5,000
2015 2516	MS	2	1.5	0.25	16	5,000
2015 2518	MS	1	1.5	0.25	17	5,000
2015 2519	CU	1	1.5	0.25	19	5,000
2015 2521	MS	1	1.5	0.25	20	2,000
2015 2533	CU	1	1.5	0.25	20.5	2,000
2015 2537	MS	2	1.5	0.25	24	2,000
2015 2538	CU	1	1.5	0.25	26.5	2,000
2015 2532	CU	2	1.5	0.25	30	2,000
2015 2544	MS	1	1.5	0.25	44	1,000
2015 2547	MS	1	1.5	0.25	47	1,000
2015 2582	MS	1	1.5	0.25	82	1,000
2016 2025	MS	1	1.6	0.2	2.5	5,000
2016 2036	MS	1	1.6	0.2	3.6	5,000
2016 2040	MS	1	1.6	0.2	4	5,000
2016 2240	MS	2	1.6	0.2	24	2,000

Metal Tubular Rivets

Technical data						
Material		Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)				
Surface treatment		Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean				
 						
Purchase number	Material	Fig.	D1	S	L	Packaging
2017 2023	MS	2	1.7	0.2	2.3	5,000
2017 2028	CU	2	1.7	0.2	2.8	5,000
2018 2030	MS	1	1.7	0.2	3	5,000
2017 2031	MS	2	1.7	0.2	3	5,000
2017 2040	MS	1	1.7	0.2	4	5,000
2017 2070	MS	2	1.7	0.2	7	5,000
2017 2080	MS	2	1.7	0.2	8	5,000
2017 2090	MS	2	1.7	0.2	9	5,000
2017 2110	MS	2	1.7	0.2	11	5,000
2017 2519	MS	2	1.7	0.25	19	5,000
2020 2015	CU	1	2	0.2	1.5	5,000
2020 2016	MS	1	2	0.2	1.5	5,000
2020 2018	MS	1	2	0.2	1.8	5,000
2020 2020	MS	1	2	0.2	2	5,000
2020 2021	MS	2	2	0.2	2	5,000
2020 2520	MS	1	2	0.25	2	5,000
2020 2521	MS	2	2	0.25	2	5,000
2020 3020	AL	1	2	0.3	2	5,000
2020 3021	MS	1	2	0.3	2	5,000
2020 4020	MS	1	2	0.4	2	5,000
2020 3023	AL	1	2	0.3	2.3	5,000
2020 2525	MS	2	2	0.25	2.5	5,000
2020 3025	MS	1	2	0.3	2.5	5,000
2020 4025	MS	1	2	0.4	2.5	5,000
2020 2030	MS	2	2	0.2	3	5,000
2020 2530	MS	1	2	0.25	3	5,000
2020 2531	MS	2	2	0.25	3	5,000
2020 3030	AL	1	2	0.3	3	5,000
2020 3031	MS	1	2	0.3	3	5,000
2020 3032	MS	2	2	0.3	3	5,000
2020 2035	MS	2	2	0.2	3.5	5,000
2020 2535	MS	1	2	0.25	3.5	5,000
2020 2536	MS	2	2	0.25	3.5	5,000
2000 1436	AL	1	2	0.3	3.5	5,000
2020 3035	MS	1	2	0.3	3.5	5,000
2020 3036	MS	2	2	0.3	3.5	5,000
2020 3535	MS	2	2	0.35	3.5	5,000
2020 3038	MS	2	2	0.3	3.8	5,000
2020 2540	MS	1	2	0.25	4	5,000
2020 2541	MS	2	2	0.25	4	5,000
2020 3040	AL	1	2	0.3	4	5,000
2020 3041	CU	1	2	0.3	4	5,000
2020 3042	MS	1	2	0.3	4	5,000
2020 3043	MS	2	2	0.3	4	5,000

Metal Tubular Rivets

Technical data						
Material		Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)				
Surface treatment		Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean				
 						
Purchase number	Material	Fig.	D1	S	L	Packaging
2020 2545	MS	2	2	0.25	4.5	5,000
2020 3045	MS	1	2	0.3	4.5	5,000
2020 3046	MS	2	2	0.3	4.5	5,000
2020 2550	MS	2	2	0.25	5	5,000
2020 3050	CU	1	2	0.3	5	5,000
2020 3051	MS	1	2	0.3	5	5,000
2020 3052	MS	2	2	0.3	5	5,000
2020 4050	MS	2	2	0.4	5	5,000
2020 2555	MS	1	2	0.25	5.5	5,000
2020 2556	MS	2	2	0.25	5.5	5,000
2020 2560	MS	2	2	0.25	6	5,000
2020 3060	MS	1	2	0.3	6	5,000
2020 3061	MS	2	2	0.3	6	5,000
2020 3065	MS	1	2	0.3	6.5	5,000
2020 3066	MS	2	2	0.3	6.5	5,000
2020 4065	MS	2	2	0.4	6.5	5,000
2020 2570	MS	2	2	0.25	7	5,000
2020 3070	AL	2	2	0.3	7	5,000
2000 0995	MS	1	2	0.3	7	5,000
2000 1800	MS	2	2	0.3	7	5,000
2020 4070	MS	1	2	0.4	7	5,000
2020 4071	MS	2	2	0.4	7	5,000
2020 2575	MS	1	2	0.25	7.5	5,000
2020 3080	AL	1	2	0.3	8	5,000
2020 3081	MS	1	2	0.3	8	5,000
2020 3082	MS	2	2	0.3	8	5,000
2020 4080	MS	1	2	0.4	8	5,000
2020 4081	MS	2	2	0.4	8	5,000
2020 3087	AL	2	2	0.3	8.7	5,000
2020 2590	MS	2	2	0.25	9	5,000
2020 3090	MS	1	2	0.3	9	5,000
2020 3091	MS	2	2	0.3	9	5,000
2020 4090	MS	1	2	0.4	9	5,000
2000 1802	MS	2	2	0.4	9	5,000
2020 3095	MS	1	2	0.3	9.5	5,000
2020 3096	MS	2	2	0.3	9.5	5,000
2020 2100	MS	1	2	0.2	10	5,000
2020 2101	MS	2	2	0.2	10	5,000
2020 3100	MS	1	2	0.3	10	5,000
2020 3101	MS	2	2	0.3	10	5,000
2020 3110	MS	1	2	0.3	11	5,000
2020 2120	MS	1	2	0.2	12	5,000
2020 2512	MS	1	2	0.25	12	5,000
2020 3120	MS	1	2	0.3	12	5,000
2020 3121	MS	2	2	0.3	12	5,000
2020 4120	MS	1	2	0.4	12	5,000


Metal Tubular Rivets

Technical data						
Material		Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)				
Surface treatment		Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean				
						
Purchase number	Material	Fig.	D1	S	L	Packaging
2020 2511	ST	1	2	0.25	12.7	5,000
2020 2513	MS	1	2	0.25	13	2,000
2020 2509	MS	2	2	0.25	13	2,000
2020 3130	AL	2	2	0.3	13	2,000
2020 3131	MS	2	2	0.3	13	2,000
2020 2514	MS	2	2	0.25	14	2,000
2020 3140	MS	1	2	0.3	14	2,000
2020 2515	ST	1	2	0.25	14.7	2,000
2020 3150	MS	1	2	0.3	15	2,000
2020 3151	MS	2	2	0.3	15	2,000
2020 4150	MS	1	2	0.4	15	2,000
2020 2516	MS	1	2	0.25	16	2,000
2020 3160	MS	1	2	0.3	16	2,000
2020 5160	MS	1	2	0.5	16	2,000
2020 3180	MS	1	2	0.3	18	2,000
2020 2200	MS	1	2	0.2	20	2,000
2020 3200	AL	2	2	0.3	20	2,000
2020 4200	MS	1	2	0.4	20	2,000
2020 3210	MS	1	2	0.3	21	2,000
2020 2220	MS	1	2	0.2	22	2,000
2020 2523	MS	1	2	0.25	23	2,000
2020 3230	MS	2	2	0.3	23	2,000
2020 2235	MS	1	2	0.2	23.5	1,000
2020 3250	MS	1	2	0.3	25	1,000
2020 3300	MS	1	2	0.3	30	1,000
2020 2532	MS	1	2	0.25	32	1,000
2020 3400	MS	1	2	0.3	40	1,000
2020 3502	MS	1	2	0.3	50	1,000
2000 0996	MS	1	2.2	0.25	2.5	5,000
2022 2525	MS	2	2.2	0.25	2.5	5,000
2022 2530	MS	2	2.2	0.25	3	5,000
2022 2035	CU	2	2.2	0.2	3.5	5,000
2022 2535	MS	2	2.2	0.25	3.5	5,000
2022 2540	MS	1	2.2	0.25	4	5,000
2022 2541	MS	2	2.2	0.25	4	5,000
2022 2545	MS	2	2.2	0.25	4.5	5,000
2022 3045	MS	1	2.2	0.3	4.5	5,000
2022 2047	MS	2	2.2	0.2	4.7	5,000
2022 2550	MS	1	2.2	0.25	5	5,000
2022 2551	MS	2	2.2	0.25	5	5,000
2022 2555	MS	2	2.2	0.25	5.5	5,000
2022 2560	MS	2	2.2	0.25	6	5,000
2022 2565	MS	2	2.2	0.25	6.5	5,000
2022 2570	MS	2	2.2	0.25	7	5,000
2022 2080	MS	1	2.2	0.20	8	5,000

Metal Tubular Rivets

Technical data						
Material		Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)				
Surface treatment		Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean				
 						
Purchase number	Material	Fig.	D1	S	L	Packaging
2022 2580	MS	2	2.2	0.25	8	5,000
2022 2585	MS	2	2.2	0.25	8.5	5,000
2022 2590	MS	2	2.2	0.25	9	5,000
2022 2595	MS	2	2.2	0.25	9.5	5,000
2022 2510	MS	2	2.2	0.25	10	5,000
2022 2511	MS	1	2.2	0.25	11	5,000
2022 2515	MS	1	2.2	0.25	15	5,000
2022 2517	MS	2	2.2	0.25	17	2,000
2022 2556	MS	2	2.2	0.25	55.2	500
2022 3086	MS	1	2.2	0.3	86.3	500
2000 1005	MS	2	2.3	0.25	3.5	5,000
2023 2540	MS	2	2.3	0.25	4	5,000
2023 3040	MS	2	2.3	0.3	4	5,000
2023 2550	MS	2	2.3	0.25	5	5,000
2023 2510	MS	2	2.3	0.25	10	5,000
2023 2512	MS	1	2.3	0.25	11.7	5,000
2023 2535	MS	1	2.3	0.25	35	1,000
2023 2536	MS	1	2.3	0.25	35.7	1,000
2023 2537	MS	1	2.3	0.25	36.5	1,000
2023 2548	MS	1	2.3	0.25	48.6	1,000
2023 2552	MS	1	2.3	0.25	52.5	1,000
2023 2560	MS	1	2.3	0.25	60.7	500
2023 2570	MS	1	2.3	0.25	70.1	500
2023 2573	MS	1	2.3	0.25	73.5	500
2023 2583	MS	1	2.3	0.25	83	500
2023 2585	MS	1	2.3	0.25	85.6	500
2023 2586	MS	1	2.3	0.25	86.7	500
2023 3092	MS	1	2.3	0.3	92	500
2023 2598	MS	1	2.3	0.25	98.4	500
2024 2525	MS	2	2.4	0.25	2.5	5,000
2024 3045	MS	2	2.4	0.3	4.5	5,000
2024 2555	MS	1	2.4	0.25	5.5	5,000
2024 2565	MS	2	2.4	0.25	6.5	5,000
2024 2570	MS	2	2.4	0.25	7	5,000
2024 2590	MS	2	2.4	0.25	9	5,000
2024 2510	MS	2	2.4	0.25	10	5,000
2024 2515	MS	1	2.4	0.25	15	2,000
2024 2516	MS	2	2.4	0.25	15	2,000
2024 3015	MS	2	2.4	0.3	15	2,000
2024 2520	MS	2	2.4	0.25	20	2,000
2024 3020	MS	2	2.4	0.3	20	2,000
2525 1519	MS	1	2.5	0.15	1.9	5,000
2525 2525	MS	2	2.5	0.25	2.5	5,000


Metal Tubular Rivets

Technical data						
Material		Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)				
Surface treatment		Tin-plated				
		On request: • Silver-plated • Gold-plated • Nickel-plated • Clean				
						
Purchase number	Material	Fig.	D1	S	L	Packaging
2025 3028	MS	1	2.5	0.3	2.5	5,000
2025 2530	MS	2	2.5	0.25	3	5,000
2025 3030	MS	1	2.5	0.3	3	5,000
2025 3031	MS	2	2.5	0.3	3	5,000
2025 4030	MS	1	2.5	0.4	3	5,000
2025 2535	MS	1	2.5	0.25	3.5	5,000
2025 2536	MS	2	2.5	0.25	3.5	5,000
2025 3035	MS	1	2.5	0.3	3.5	5,000
2000 1420	MS	2	2.5	0.3	3.5	5,000
2000 0999	MS	2	2.5	0.25	4	5,000
2025 3040	AL	1	2.5	0.3	4	5,000
2025 3041	MS	1	2.5	0.3	4	5,000
2000 1019	MS	2	2.5	0.3	4	5,000
2025 2545	MS	2	2.5	0.25	4.5	5,000
2025 3044	AL	1	2.5	0.3	4.5	5,000
2025 3051	AL	2	2.5	0.3	4.5	5,000
2025 3047	MS	1	2.5	0.3	4.5	5,000
2025 3048	MS	2	2.5	0.3	4.5	5,000
2025 3049	ST	1	2.5	0.3	4.5	5,000
2025 2050	MS	1	2.5	0.2	5	5,000
2025 2550	MS	1	2.5	0.25	5	5,000
2000 2070	MS	2	2.5	0.25	5	5,000
2025 3052	MS	1	2.5	0.3	5	5,000
2025 4049	MS	1	2.5	0.4	5	5,000
2025 2555	MS	1	2.5	0.25	5.5	5,000
2025 3053	MS	1	2.5	0.3	5.5	5,000
2025 3056	MS	2	2.5	0.3	5.5	5,000
2025 6001	MS	2	2.5	0.25	6	5,000
2000 0990	MS	1	2.5	0.3	6	5,000
2025 0306	MS	2	2.5	0.3	6	5,000
2025 2565	MS	2	2.5	0.25	6.5	5,000
2025 3065	MS	1	2.5	0.3	6.5	5,000
2025 3066	MS	2	2.5	0.3	6.5	5,000
2025 2570	MS	2	2.5	0.25	7	5,000
2025 3070	MS	1	2.5	0.3	7	5,000
2000 1000	MS	2	2.5	0.3	7	5,000
2025 4070	CU	2	2.5	0.4	7	5,000
2025 4071	MS	1	2.5	0.4	7	5,000
2025 4072	MS	2	2.5	0.4	7	5,000
2025 2575	MS	1	2.5	0.25	7.5	5,000
2000 2040	MS	2	2.5	0.25	7.5	5,000
2025 2580	MS	2	2.5	0.25	8	5,000
2000 3575	MS	1	2.5	0.3	8	5,000
2025 4080	MS	1	2.5	0.4	8	5,000
2025 4081	MS	2	2.5	0.4	8	5,000
2025 3084	MS	1	2.5	0.3	8.5	5,000

Metal Tubular Rivets

Technical data						
Material	Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)					
Surface treatment	Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean					
						
Purchase number	Material	Fig.	D1	S	L	Packaging
2025 3085	MS	2	2.5	0.3	8.5	5,000
2025 1590	MS	2	2.5	0.15	9	5,000
2025 2590	MS	1	2.5	0.25	9	5,000
2025 2591	MS	2	2.5	0.25	9	5,000
2000 3585	MS	1	2.5	0.3	9	5,000
2000 2084	MS	2	2.5	0.3	9	5,000
2025 4090	MS	1	2.5	0.4	9	5,000
2025 3095	MS	1	2.5	0.3	9.5	5,000
2000 4508	MS	2	2.5	0.3	9.5	5,000
2025 4095	AL	2	2.5	0.4	9.5	5,000
2025 4096	MS	2	2.5	0.4	9.5	5,000
2025 1510	MS	2	2.5	0.15	10	2,000
2025 2510	MS	1	2.5	0.25	10	2,000
2025 2511	MS	2	2.5	0.25	10	2,000
2000 1003	MS	1	2.5	0.3	10	2,000
2025 0310	MS	2	2.5	0.3	10	2,000
2000 2097	MS	1	2.5	0.4	10	2,000
2025 4010	MS	2	2.5	0.4	10	2,000
2025 2512	MS	1	2.5	0.25	11	2,000
2025 3010	MS	1	2.5	0.3	11	2,000
2025 3012	MS	1	2.5	0.3	11.5	2,000
2025 2513	MS	2	2.5	0.25	12	2,000
2025 3013	MS	1	2.5	0.3	12	2,000
2025 2514	MS	2	2.5	0.25	13	2,000
2025 3014	MS	2	2.5	0.3	14	2,000
2025 4014	MS	2	2.5	0.4	14	2,000
2025 2515	MS	2	2.5	0.25	15	2,000
2025 3015	MS	1	2.5	0.3	15	2,000
2025 4015	MS	1	2.5	0.4	15	2,000
2025 3016	MS	1	2.5	0.3	16	2,000
2025 4017	MS	2	2.5	0.4	16	2,000
2025 2517	MS	2	2.5	0.25	17	2,000
2025 3017	MS	2	2.5	0.3	17	2,000
2025 2518	MS	2	2.5	0.25	17.5	2,000
2025 2519	MS	1	2.5	0.25	18	2,000
2025 2520	MS	2	2.5	0.25	18	2,000
2025 4018	MS	2	2.5	0.4	18	2,000
2025 3020	MS	1	2.5	0.3	20	2,000
2025 3021	MS	2	2.5	0.3	20	2,000
2025 3022	MS	2	2.5	0.3	22	1,000
2025 4022	MS	1	2.5	0.4	22	1,000
2025 3023	MS	2	2.5	0.3	23	1,000
2025 3024	MS	1	2.5	0.3	23.5	1,000
2025 3025	MS	1	2.5	0.3	25	1,000
2025 3026	MS	2	2.5	0.3	26	1,000
2025 3027	MS	1	2.5	0.3	27	1,000

Metal Tubular Rivets

Technical data						
Material		Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)				
Surface treatment		Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean				
						
Purchase number	Material	Fig.	D1	S	L	Packaging
2000 2255	MS	1	2.5	0.4	30	1,000
2025 3033	MS	2	2.5	0.3	33	1,000
2025 3038	MS	1	2.5	0.3	38.5	1,000
2025 3043	MS	1	2.5	0.3	43	1,000
2025 3045	MS	1	2.5	0.3	45	1,000
2025 3046	MS	2	2.5	0.3	46.5	1,000
2025 3050	MS	1	2.5	0.3	50	1,000
2025 4050	MS	1	2.5	0.4	50	1,000
2025 3055	MS	1	2.5	0.3	55	1,000
2026 2026	MS	2	2.6	0.2	2.6	5,000
2026 2030	MS	2	2.6	0.2	3	5,000
2026 2040	MS	1	2.6	0.2	4	5,000
2026 2540	MS	2	2.6	0.25	4	5,000
2026 2045	MS	2	2.6	0.2	4.5	5,000
2026 2050	MS	2	2.6	0.2	5	5,000
2026 2055	MS	2	2.6	0.2	5.5	5,000
2026 4055	MS	2	2.6	0.4	5.5	5,000
2026 2060	MS	2	2.6	0.2	6	5,000
2026 2070	MS	2	2.6	0.2	7	5,000
2026 4070	MS	2	2.6	0.4	7	5,000
2026 2080	MS	2	2.6	0.2	8	5,000
2026 4090	MS	2	2.6	0.4	9	5,000
2026 2095	MS	2	2.6	0.2	9.5	5,000
2026 2096	MS	1	2.6	0.2	9.6	5,000
2026 2510	MS	2	2.6	0.25	10	5,000
2026 2013	MS	2	2.6	0.2	13.2	5,000
2026 2022	MS	1	2.6	0.2	22.3	1,000
2026 2031	MS	1	2.6	0.2	31.3	1,000
2026 2041	MS	1	2.6	0.2	41.3	1,000
2026 2051	MS	1	2.6	0.2	51.3	1,000
2028 3035	MS	1	2.8	0.3	3.5	5,000
2028 3045	MS	1	2.8	0.3	4.5	5,000
2028 3060	MS	2	2.8	0.3	6	5,000
2028 3155	MS	1	2.8	0.3	15.5	5,000
2028 3215	MS	2	2.8	0.3	21.5	1,000
2028 3360	MS	1	2.8	0.3	36	1,000
2030 2520	MS	2	3	0.25	2	5,000
2030 2525	MS	1	3	0.25	2.5	5,000
2000 4455	MS	2	3	0.3	2.5	5,000
2000 4320	MS	2	3	0.25	3	5,000
2000 2305	MS	1	3	0.3	3	5,000
2030 2535	MS	2	3	0.25	3.5	5,000
2030 3035	MS	1	3	0.3	3.5	5,000

Metal Tubular Rivets

Technical data						
Material		Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)				
Surface treatment		Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean				
						
Purchase number	Material	Fig.	D1	S	L	Packaging
2000 2416	MS	2	3	0.3	3.5	5,000
2000 2690	MS	1	3	0.5	3.5	5,000
2030 2540	MS	1	3	0.25	4	5,000
2030 3040	AL	2	3	0.3	4	5,000
2030 3041	MS	1	3	0.3	4	5,000
2000 1031	MS	2	3	0.3	4	5,000
2030 2545	MS	2	3	0.25	4.5	5,000
2030 3045	MS	1	3	0.3	4.5	5,000
2030 5045	MS	2	3	0.5	4.5	5,000
2030 2550	MS	1	3	0.25	5	5,000
2030 2551	MS	2	3	0.25	5	5,000
2030 3050	MS	1	3	0.3	5	5,000
2000 1032	MS	2	3	0.3	5	5,000
2030 3051	ST	1	3	0.3	5	5,000
2030 4050	MS	1	3	0.4	5	5,000
2030 4051	MS	2	3	0.4	5	5,000
2030 5050	MS	1	3	0.5	5	5,000
2030 5051	MS	2	3	0.5	5	5,000
2030 3055	MS	1	3	0.3	5.5	5,000
2030 3056	MS	2	3	0.3	5.5	5,000
2030 2560	MS	2	3	0.25	6	5,000
2000 0900	MS	1	3	0.3	6	5,000
2000 1034	MS	2	3	0.3	6	5,000
2030 3060	ST	2	3	0.3	6	5,000
2030 4060	MS	1	3	0.4	6	5,000
2030 5060	MS	2	3	0.5	6	5,000
2030 2065	MS	2	3	0.2	6.5	5,000
2030 3065	MS	1	3	0.3	6.5	5,000
2065 0348	MS	2	3	0.3	6.5	5,000
2030 5065	MS	2	3	0.5	6.5	5,000
2030 2070	MS	2	3	0.2	7	2,000
2030 2570	AL	2	3	0.25	7	2,000
2030 3068	AL	1	3	0.3	7	2,000
2030 3069	MS	2	3	0.3	7	2,000
2030 3070	MS	1	3	0.3	7	2,000
2030 3072	MS	2	3	0.3	7	2,000
2030 4070	MS	1	3	0.4	7	2,000
2030 3071	MS	2	3	0.3	7.1	2,000
2030 2575	MS	2	3	0.25	7.5	2,000
2030 3075	CU	1	3	0.3	7.5	2,000
2030 3076	MS	1	3	0.3	7.5	2,000
2030 3077	MS	2	3	0.3	7.5	2,000
2030 2580	MS	2	3	0.25	8	2,000
2000 2412	MS	1	3	0.3	8	2,000
2030 3080	MS	2	3	0.3	8	2,000
2030 3085	MS	1	3	0.3	8.5	2,000

Metal Tubular Rivets

Technical data						
Material		Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)				
Surface treatment		Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean				
 						
Purchase number	Material	Fig.	D1	S	L	Packaging
2030 3086	MS	2	3	0.3	8.5	2,000
2030 3088	CU	1	3	0.3	8.8	2,000
2030 2590	MS	2	3	0.25	9	2,000
2030 3090	MS	1	3	0.3	9	2,000
2030 3091	MS	2	3	0.3	9	2,000
2030 2595	MS	2	3	0.25	9.5	2,000
2030 2510	MS	1	3	0.25	10	2,000
2030 2511	MS	2	3	0.25	10	2,000
2030 3010	MS	1	3	0.3	10	2,000
2030 3005	MS	2	3	0.3	10	2,000
2030 3006	ST	1	3	0.3	10	2,000
2030 3007	ST	2	3	0.3	10	2,000
2030 5010	CU	1	3	0.5	10	2,000
2030 5008	MS	1	3	0.5	10	2,000
2030 5009	MS	2	3	0.5	10	2,000
2030 3011	MS	1	3	0.3	11	2,000
2030 3031	MS	2	3	0.3	11	2,000
2030 3120	MS	1	3	0.3	12	1,000
2000 4355	MS	2	3	0.3	12	1,000
2030 3012	ST	1	3	0.3	12	1,000
2030 5012	MS	1	3	0.5	12	1,000
2030 3013	MS	1	3	0.3	13	1,000
2030 3023	MS	2	3	0.3	13	1,000
2030 3033	ST	1	3	0.3	13	1,000
2030 2014	MS	1	3	0.2	14	1,000
2030 3014	MS	1	3	0.3	14	1,000
2030 3024	MS	2	3	0.3	14	1,000
2030 2514	MS	2	3	0.25	14.5	1,000
2030 3015	MS	1	3	0.3	15	1,000
2030 3025	MS	2	3	0.3	15	1,000
2030 5015	MS	2	3	0.5	15	1,000
2030 3016	MS	1	3	0.3	16	1,000
2030 3026	MS	2	3	0.3	16	1,000
2030 2516	MS	1	3	0.25	16.5	1,000
2030 3017	MS	1	3	0.3	17	1,000
2030 3027	MS	2	3	0.3	17	1,000
2030 3018	CU	2	3	0.3	18	1,000
2030 3028	MS	1	3	0.3	18	1,000
2030 3038	MS	2	3	0.3	18	1,000
2030 5018	MS	2	3	0.5	18	1,000
2030 2018	MS	1	3	0.2	18.8	1,000
2030 3019	MS	1	3	0.3	19	1,000
2030 3029	MS	2	3	0.3	19	1,000
2030 3020	MS	1	3	0.3	20	1,000
2000 2418	MS	2	3	0.3	20	1,000
2030 3021	MS	1	3	0.3	21	1,000

Metal Tubular Rivets

Technical data						
Material	Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)					
Surface treatment	Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean					
 						
Purchase number	Material	Fig.	D1	S	L	Packaging
2030 3210	MS	2	3	0.3	21	1,000
2030 3022	MS	1	3	0.3	22	1,000
2000 2417	MS	2	3	0.3	22	1,000
2030 5022	MS	2	3	0.5	22	1,000
2030 2022	MS	2	3	0.2	22.3	1,000
2030 3225	MS	1	3	0.3	22.5	1,000
2030 3230	MS	1	3	0.3	23	1,000
2030 3231	MS	2	3	0.3	23	1,000
2030 3237	MS	1	3	0.3	23.7	1,000
2030 3240	MS	1	3	0.3	24	1,000
2030 3241	MS	2	3	0.3	24	1,000
2030 3524	MS	2	3	0.35	24	1,000
2030 5242	MS	1	3	0.5	24.2	1,000
2030 2526	MS	1	3	0.25	25	1,000
2030 3250	MS	2	3	0.3	25	1,000
2030 5250	MS	2	3	0.5	25	1,000
2030 2260	MS	2	3	0.2	26	1,000
2030 3260	MS	2	3	0.3	26	1,000
2020 2527	MS	2	3	0.25	27	1,000
2030 3270	MS	1	3	0.3	27	1,000
2030 3271	MS	2	3	0.3	27	1,000
2030 3280	MS	2	3	0.3	28	1,000
2030 3290	MS	1	3	0.3	29	1,000
2030 3300	MS	2	3	0.3	30	1,000
2030 3310	MS	1	3	0.3	31	1,000
2030 3350	MS	1	3	0.3	35	1,000
2030 5350	MS	2	3	0.5	35	500
2030 3400	MS	2	3	0.3	40	500
2030 3542	MS	2	3	0.35	42.5	500
2030 3480	MS	1	3	0.3	48	500
2030 3500	MS	2	3	0.3	50	500
2030 3574	MS	2	3	0.35	74.5	500
2032 2050	MS	2	3.2	0.2	5	2,000
2032 2080	MS	2	3.2	0.2	8	2,000
2032 2110	MS	2	3.2	0.2	11	1,000
2032 2130	MS	2	3.2	0.2	13	1,000
2032 2170	MS	2	3.2	0.2	17	1,000
2032 2180	MS	2	3.2	0.2	18	1,000
2032 2185	MS	1	3.2	0.2	18.5	1,000
2032 2232	MS	2	3.2	0.2	23.2	1,000
2032 2242	MS	2	3.2	0.2	24.2	1,000
2032 2320	MS	2	3.2	0.2	32	1,000
2032 2340	MS	2	3.2	0.2	34	1,000

Metal Tubular Rivets

Technical data						
Material		Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)				
Surface treatment		Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean				
 Fig. 1 Fig. 2						
Purchase number	Material	Fig.	D1	S	L	Packaging
2035 3020	AL	2	3.5	0.3	2	2,000
2035 3030	MS	2	3.5	0.3	3	2,000
2035 3035	MS	2	3.5	0.3	3.5	2,000
2035 2540	MS	2	3.5	0.25	4	2,000
2035 3040	MS	1	3.5	0.3	4	2,000
2035 3041	MS	2	3.5	0.3	4	2,000
2035 3045	MS	2	3.5	0.3	4.5	2,000
2035 3050	MS	1	3.5	0.3	5	2,000
2035 3051	MS	2	3.5	0.3	5	2,000
2035 3055	MS	2	3.5	0.3	5.5	2,000
2035 3060	MS	1	3.5	0.3	6	2,000
2035 3061	MS	2	3.5	0.3	6	2,000
2035 3070	MS	2	3.5	0.3	7	2,000
2035 3080	MS	1	3.5	0.3	8	2,000
2035 3081	MS	2	3.5	0.3	8	2,000
2035 3090	MS	2	3.5	0.3	9	2,000
2035 3100	MS	2	3.5	0.3	10	2,000
2035 3110	MS	2	3.5	0.3	11	2,000
2035 3130	MS	1	3.5	0.3	13	1,000
2035 3150	MS	1	3.5	0.3	15	1,000
2035 3151	MS	2	3.5	0.3	15	1,000
2035 3160	MS	1	3.5	0.3	16	1,000
2035 3170	MS	1	3.5	0.3	17	1,000
2035 3180	MS	1	3.5	0.3	18	1,000
2035 3185	MS	1	3.5	0.3	18.5	1,000
2035 3400	MS	1	3.5	0.3	40	1,000
2035 3500	MS	1	3.5	0.3	50	500
2038 3095	MS	1	3.8	0.3	9.5	2,000
2038 3102	MS	1	3.8	0.3	10.2	2,000
2038 3142	MS	1	3.8	0.3	14.2	2,000
2040 2009	MS	1	4	0.2	0.9	5,000
2040 2012	MS	1	4	0.2	1.2	5,000
2040 2015	MS	1	4	0.2	1.5	5,000
2040 2017	MS	1	4	0.2	1.7	5,000
2040 2018	MS	1	4	0.2	1.8	5,000
2040 2020	MS	1	4	0.2	2	5,000
2040 4021	AL	2	4	0.4	2	5,000
2040 2023	MS	1	4	0.2	2.3	5,000
2040 3030	MS	2	4	0.3	3	2,000
2000 1524	MS	2	4	0.4	3	2,000
2000 1226	MS	1	4	0.3	3.5	2,000
2040 3035	MS	2	4	0.3	3.5	2,000
2040 2040	MS	1	4	0.2	4	2,000
2040 3040	MS	2	4	0.3	4	2,000

Metal Tubular Rivets

Technical data						
Material	Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)					
Surface treatment	Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean					
						
Purchase number	Material	Fig.	D1	S	L	Packaging
2040 4040	AL	1	4	0.4	4	2,000
2040 4041	MS	1	4	0.4	4	2,000
2040 4042	AL	2	4	0.4	4.2	2,000
2040 4044	MS	1	4	0.4	4.4	2,000
2040 3045	MS	2	4	0.3	4.5	2,000
2040 3050	MS	2	4	0.3	5	2,000
2040 4050	MS	1	4	0.4	5	2,000
2040 3055	MS	2	4	0.3	5.5	2,000
2040 4055	MS	1	4	0.4	5.5	2,000
2040 4056	MS	2	4	0.4	5.5	2,000
2040 3060	MS	2	4	0.3	6	2,000
2040 4060	AL	2	4	0.4	6	2,000
2000 4060	MS	1	4	0.4	6	2,000
2001 4080	MS	2	4	0.4	6	2,000
2040 3065	MS	2	4	0.3	6.5	2,000
2040 3070	MS	2	4	0.3	7	2,000
2040 4070	AL	1	4	0.4	7	2,000
2040 4071	MS	1	4	0.4	7	2,000
2040 3075	MS	1	4	0.3	7.5	2,000
2040 3080	MS	1	4	0.3	8	2,000
2040 3081	MS	2	4	0.3	8	1,000
2040 4080	MS	1	4	0.4	8	2,000
2040 4081	MS	2	4	0.4	8	2,000
2040 3090	MS	1	4	0.3	9	2,000
2040 3091	MS	2	4	0.3	9	1,000
2040 4090	MS	2	4	0.4	9	2,000
2040 4096	MS	1	4	0.4	9.6	2,000
2040 2510	MS	1	4	0.25	10	1,000
2040 3100	MS	1	4	0.3	10	1,000
2040 3101	MS	2	4	0.3	10	1,000
2040 4100	MS	1	4	0.4	10	1,000
2040 4101	MS	2	4	0.4	10	1,000
2040 5100	MS	2	4	0.5	10	1,000
2040 4105	MS	2	4	0.4	10.5	1,000
2040 2110	MS	1	4	0.2	11	1,000
2040 3110	MS	1	4	0.3	11	1,000
2040 4110	MS	2	4	0.4	11	1,000
2040 5110	MS	2	4	0.5	11	1,000
2040 4115	MS	2	4	0.4	11.5	1,000
2040 4120	MS	1	4	0.4	12	1,000
2040 4121	MS	2	4	0.4	12	1,000
2040 3130	MS	2	4	0.4	13	1,000
2040 4130	MS	1	4	0.3	13	1,000
2040 4131	MS	2	4	0.4	13	1,000
2040 5130	MS	2	4	0.5	13	1,000
2040 4135	MS	2	4	0.4	13.5	1,000

Metal Tubular Rivets

Technical data						
Material		Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)				
Surface treatment		Tin-plated				
		On request: • Silver-plated • Gold-plated • Nickel-plated • Clean				
 						
Purchase number	Material	Fig.	D1	S	L	Packaging
2040 3140	MS	2	4	0.3	14	1,000
2040 4140	MS	1	4	0.4	14	1,000
2040 4141	MS	2	4	0.4	14	1,000
2040 3150	MS	1	4	0.3	15	1,000
2040 4150	MS	1	4	0.4	15	1,000
2040 5150	MS	2	4	0.5	15	1,000
2040 4160	MS	2	4	0.4	16	1,000
2040 3170	MS	1	4	0.3	17	1,000
2040 4170	MS	2	4	0.4	17	1,000
2040 2180	MS	2	4	0.2	18	1,000
2040 4190	MS	2	4	0.4	19	1,000
2040 4200	MS	2	4	0.4	20	1,000
2040 7520	MS	1	4	0.75	20	1,000
2040 4210	MS	2	4	0.4	21	1,000
2040 3220	MS	1	4	0.3	22	1,000
2040 4220	MS	2	4	0.4	22	1,000
2040 4230	MS	1	4	0.4	23	1,000
2040 4231	MS	2	4	0.4	23	1,000
2040 4240	CU	2	4	0.4	24	1,000
2040 4250	MS	1	4	0.4	25	1,000
2040 5250	MS	2	4	0.5	25	1,000
2040 4260	MS	1	4	0.4	26	1,000
2040 4270	MS	2	4	0.4	27	1,000
2040 3280	MS	1	4	0.3	28	1,000
2040 4280	MS	1	4	0.4	28	1,000
2040 4300	MS	1	4	0.4	30	1,000
2040 4301	MS	2	4	0.4	30	1,000
2040 5300	MS	2	4	0.5	30	1,000
2040 8300	AL	2	4	0.8	30	1,000
2040 3332	MS	1	4	0.3	33.2	1,000
2040 3380	MS	2	4	0.3	38	500
2040 4400	MS	1	4	0.4	40	500
2040 4401	MS	2	4	0.4	40	500
2040 5400	MS	1	4	0.5	40	500
2040 4420	MS	2	4	0.4	42	500
2040 5425	MS	2	4	0.5	42.5	500
2040 5480	MS	2	4	0.5	48	500
2040 5500	MS	2	4	0.5	50	500
2040 5525	MS	2	4	0.5	52.5	500
2040 5600	MS	2	4	0.5	60	500
2040 5625	MS	2	4	0.5	62.5	500
2045 3030	MS	2	4.5	0.3	3	2,000
2045 2540	MS	2	4.5	0.25	4	2,000
2045 5040	MS	2	4.5	0.5	4	2,000
2045 3010	MS	2	4.5	0.3	10	2,000

Metal Tubular Rivets

Technical data						
Material	Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)					
Surface treatment	Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean					
						
Purchase number	Material	Fig.	D1	S	L	Packaging
2045 2527	MS	1	4,5	0.25	27.3	2,000
2045 2535	MS	2	4.5	0.25	35	500
2048 3027	MS	1	4,8	0.3	2.7	2,000
2048 4040	MS	1	4,8	0.4	4	2,000
2048 4041	MS	2	4,8	0.4	4	2,000
2048 4060	MS	1	4,8	0.4	6	2,000
2048 5060	MS	2	4,8	0.5	6	2,000
2048 4080	MS	2	4,8	0.4	8	2,000
2048 5080	MS	1	4,8	0.5	8	2,000
2050 2526	MS	1	5	0.25	2.6	2,000
2050 2530	MS	1	5	0.25	3	2,000
2050 2540	MS	1	5	0.25	4	2,000
2050 5041	MS	1	5	0.5	4	2,000
2050 5040	MS	2	5	0.5	4	2,000
2050 2542	MS	1	5	0.25	4.2	2,000
2050 2543	MS	1	5	0.25	4.3	2,000
2050 5045	MS	1	5	0.5	4.5	2,000
2050 5046	MS	2	5	0.5	4.5	2,000
2050 2550	MS	2	5	0.25	5	2,000
2050 5050	MS	1	5	0.5	5	2,000
2050 5051	MS	2	5	0.5	5	2,000
2050 5060	ST	2	5	0.5	6	1,000
2050 5065	MS	1	5	0.5	6.5	1,000
2050 2570	MS	2	5	0.25	7	1,000
2050 5070	MS	1	5	0.5	7	1,000
2050 2580	MS	2	5	0.25	8	1,000
2050 5080	CU	1	5	0.5	8	1,000
2050 5081	MS	1	5	0.5	8	1,000
2050 5082	MS	2	5	0.5	8	2,000
2050 2510	MS	1	5	0.25	10	1,000
2050 2509	MS	2	5	0.25	10	1,000
2004 0060	MS	1	5	0.5	10	1,000
2050 5100	MS	2	5	0.5	10	1,000
2050 5101	ST	1	5	0.5	10	1,000
2050 2511	MS	1	5	0.25	11	1,000
2050 7511	MS	2	5	0.75	11.5	1,000
2050 3512	MS	2	5	0.35	12	1,000
2000 4065	MS	1	5	0.5	12	1,000
2050 5120	MS	2	5	0.5	12	1,000
2050 2513	MS	1	5	0.25	13	1,000
2050 7513	MS	2	5	0.75	13.5	1,000
2050 2514	MS	2	5	0.25	14	1,000
2050 5015	MS	2	5	0.5	15	1,000
2050 5016	MS	2	5	0.5	16	500

Metal Tubular Rivets

Technical data						
Material	Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)					
Surface treatment	Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean					
						
Purchase number	Material	Fig.	D1	S	L	Packaging
2050 1160	MS	2	5	1.0	16	500
2050 1161	ST	2	5	1.0	16	500
2050 5170	MS	2	5	0.5	17	500
2050 1170	MS	2	5	1.0	17	500
2050 2517	MS	2	5	0.25	17.3	500
2050 5190	MS	2	5	0.5	19	500
2050 5200	CU	1	5	0.5	20	500
2050 7520	MS	2	5	0.75	20	500
2050 5225	MS	1	5	0.5	22.5	500
2050 3523	MS	1	5	0.35	23	500
2050 5025	MS	1	5	0.5	25	500
2050 5026	MS	2	5	0.5	25	500
2050 7526	MS	2	5	0.75	26	500
2050 3530	MS	2	5	0.35	30	500
2050 5300	MS	2	5	0.5	30	500
2050 5400	MS	2	5	0.5	40	500
2050 5500	MS	2	5	0.5	50	500
2060 2530	MS	1	6	0.25	3	1,000
2060 3040	MS	2	6	0.3	4	1,000
2060 2550	MS	2	6	0.25	5	1,000
2060 3050	MS	2	6	0.3	5	1,000
2060 2560	MS	1	6	0.25	6	1,000
2000 2056	MS	2	6	0.25	6	1,000
2060 5060	CU	2	6	0.5	6	1,000
2060 5061	MS	2	6	0.5	6	1,000
2060 7570	MS	2	6	0.75	7	1,000
2060 2580	MS	2	6	0.25	8	1,000
2060 5080	MS	1	6	0.5	8	1,000
2060 7580	MS	1	6	0.75	8	1,000
2060 3090	MS	1	6	0.3	9	1,000
2060 5100	ST	1	6	0.5	10	1,000
2060 5110	MS	2	6	0.5	11	1,000
2060 1011	CU	1	6	1.0	11.5	1,000
2060 1012	MS	1	6	1.0	12	1,000
2060 5125	MS	2	6	0.5	12.5	1,000
2060 2514	MS	1	6	0.25	14	1,000
2060 2515	MS	2	6	0.25	14	1,000
2060 7514	MS	2	6	0.75	14	1,000
2060 5150	MS	1	6	0.5	15	1,000
2060 5151	MS	2	6	0.5	15	1,000
2060 5155	MS	2	6	0.5	15.5	1,000
2060 7515	MS	2	6	0.75	15.5	1,000
2060 5165	MS	1	6	0.5	16.5	1,000
2060 7519	MS	2	6	0.75	19	1,000
2060 2519	MS	1	6	0.25	19.5	1,000

Metal Tubular Rivets

Technical data						
Material	Aluminium (AL), Copper (CU), Messing (MS), Steel (ST)					
Surface treatment	Tin-plated On request: • Silver-plated • Gold-plated • Nickel-plated • Clean					
 						
Purchase number	Material	Fig.	D1	S	L	Packaging
2060 5200	MS	2	6	0.5	20	500
2060 5280	ST	2	6	0.5	28	500
2060 5300	MS	2	6	0.5	30	500
2060 5350	MS	1	6	0.5	35	500
2060 5400	MS	1	6	0.5	40	500
2060 5401	MS	2	6	0.5	40	500
2060 5430	MS	1	6	0.5	43	500
2060 5500	MS	1	6	0.5	50	500
2070 5090	MS	1	7	0.5	9	1,000
2070 5150	MS	1	7	0.5	15	1,000
2075 2550	MS	1	7.5	0.25	5	1,000
2075 2595	MS	1	7.5	0.25	9.5	1,000
2075 2511	MS	1	7.5	0.25	11	500
2080 5060	MS	2	8	0.5	6	1,000
2080 5065	MS	2	8	0.5	6.5	1,000
2080 5100	MS	1	8	0.5	10	500
2080 5101	MS	2	8	0.5	10	1,000
2080 5150	MS	1	8	0.5	15	500
2080 5155	MS	1	8	0.5	15.5	500
2080 5175	AL	2	8	0.5	17.5	1,000
2080 5245	MS	2	8	0.5	24.5	1,000
2000 2010	AL	1	8	0.5	40	500
2090 1060	ST	1	9	1.0	6	500
2090 3080	MS	1	9	0.3	8	500
2090 3100	MS	1	9	0.3	10	500