


PCB Tabs For Receptacles



Connection width: 6.3mm



According to DIN 46342 for receptacles 6.3 mm

Material Bronze (BZ), brass (MS)
Surface treatment Tinned (other treatments on request)

						
2038 6680	2038 6612	2038 6600	2038 6614	2038 6672	2038 6607	
1.0/1.1	1.0/1.1	1.1	1.1	1.1	1.1	Ø
1.0	1.0	1.0	1.0	1.0	1.0	B
5.0	5.0	5.0	5.0	5.0	5.0	A
15.3	15.3	14.3	14.3	15.3	15.3	L1
4.5	4.5	3.5	3.5	4.5	4.5	T
8.0	8.0	8.0	8.0	8.0	8.0	B1
8.5	8.5	8.5	8.5	8.5	8.5	L
0.4	0.4	0.8	0.8	0.8	0.8	S
1.65	1.65	1.65	1.65	1.65	1.65	D
MS	MS	MS	MS	MS	MS	
2,000	3,750	1,000	2,000	1,000	2,000	1)
2010 3740	2000 0122	2010 3700	2000 0203	2010 3700	2000 0203	2)





2038 6679	2038 6628	2038 6621	2000 2033	2038 6656	
1.3	1.3	1.3	1.3	1.3	Ø
1.3	1.3	1.3	1.3	1.3	B
5.0	5.0	5.0	5.0	5.0	A
14.4	14.2	14.2	14.2	14.2	L1
-	-	-	-	-	L2
8.0	8.0	8.0	8.0	8.0	B1
-	-	-	-	-	B2
1.5	3.6	3.6	3.6	3.6	T
8.5	8.0	8.0	8.0	8.0	L
0.8	0.8	0.8	0.8	0.8	S
1.65	1.65	1.65	1.65	1.65	D
MS	BZ	MS	BZ	MS	
1,000	1,000	1,000	2,000	2,000	1)
2010 3700	2010 3700	2010 3700	2000 0203	2010 0203	2)

- 1) Packing pcs
- 2) Tooling


PCB Tabs For Receptacles

Connection width: 6.3mm







According to DIN 46342 for receptacles 6.3 MM

Material	Bronze (BZ), brass (MS)
Surface treatment	Plain, tinned, silver-plated, gold-plated



2038 6616	2038 6613	2038 6617	2038 6662	
1.3	1.3	1.3	1.3	Ø
1.3	1.3	1.3	1.3	B
5.0	5.0	5.0	5.0	A
16.8	16.8	16.8	16.8	L1
8.0	8.0	8.0	8.0	B1
4.1	4.1	4.1	4.1	T
8.0	8.0	8.0	8.0	L
0.8	0.8	0.8	0.8	S
1.65	1.65	1.65	1.65	D
BZ	MS	BZ	MS	
1,000	1,000	2,000	2,000	1)
2010 3700	2010 3700	2000 0203	2000 0203	2)




2038 6716	2038 6717	2038 6700	2038 6718	2038 6745	2038 6705	
1.0	1.0	1.0	1.0	1.0	1.1/1.2	Ø
1.0	1.0	1.0	1.0	1.0	1.0	B
5.0	5.0	5.0	5.0	5.0	5.0	A
6.0	6.0	6.0	6.0	6.0	8.0	B1
1.65	1.65	1.65	1.65	1.65	3.0	D
12.0	14.0	14.0	14.0	14.0	10.0	L
3.2	3.0	3.0	3.0	3.0	3.0	T
8.0	9.3	9.3	9.3	9.3	13.2	H
0.8	0.8	0.8	0.8	0.8	0.8	S
MS	BZ	MS	BZ	MS	MS	
1,000	1,000	1,000	2,000	2,000	1,000	1)
2010 3726	2010 3733	2010 3733	2000 0210	2000 0210	2010 3702	2)

- 1) Packing pcs
- 2) Tooling


PCB Tabs For Receptacles

Connection width: 6.3mm








According to DIN 46342 for receptacles 6.3 mm

Material	Bronze (BZ), brass (MS)
Surface treatment	Tinned (other treatments on request)



2038 6701	2038 6706	2038 6713	2038 6712	
1.3	1.3	1.3	1.3	Ø
1.3	1.3	1.3	1.3	B
5.0	5.0	5.0	5.0	A
8.0	8.0	8.0	8.0	B1
1.65	1.65	1.65	1.65	D
8.2	8.2	8.2	8.2	L
3.0	3.0	3.0	3.0	T
12.0	12.0	12.0	12.0	H
0.8	0.8	0.8	0.8	S
BZ	MS	BZ	MS	
1,000	1,000	2,000	2,000	1)
2010 3702	2010 3702	2000 0204	2000 0204	2)



2038 6753	2038 6719	2038 6737	2038 6720	2038 6721	2038 6722	
1.3	1.3	1.4	1.4	1.5	1.5	Ø
1.3	1.3	1.4	1.4	1.4	1.4	B
5.0	5.0	5.0	5.0	5.0	5.0	A
7.0	7.0	8.0	8.0	7.9	7.9	B1
1.65	1.65	1.65	1.65	1.65	1.65	D
9.0	9.0	8.5	8.5	8.4	8.4	L
4.0	4.0	4.0	4.0	4.0	4.0	T
13.0	13.0	15.0	15.0	15.0	15.0	H
0.8	0.8	0.8	0.8	0.8	0.8	S
MS	MS	MS	MS	MS	MS	
1,000	2,000	1,000	2,000	1,000	2,000	1)
2010 3702	2000 0109	2010 3727	2000 0123	2010 3727	2000 0123	2)

- 1) Packing pcs
- 2) Tooling