







PCB Vertical Tabs For Receptacles

Connection width: 2.8mm





According to DIN 46342 for receptacles 2.8 mm

Material	Bronze (BZ), brass (MS)
Surface treatment	Tinned (other treatments on request)



2037 8075	2037 8076	2037 8001	2037 8002	2037 7500	2037 7501	2000 0080	2037 8000	
0.9	0.9	0.9	0.9	1.0	1.0	1.0	1.0	Ø
1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	B
2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	B2
2.8	2.8	2.8	2.8	3.6	3.6	2.8	2.8	B1
3.8	3.8	3.8	3.8	1.3	1.3	2.8	2.8	T
6.7	6.7	6.7	6.7	7.8	7.8	6.7	6.7	L
10.5	10.5	10.5	10.5	18.8	18.8	9.5	9.5	L1
0.5	0.5	0.5	0.5	0.5	0.5	0.8	0.8	S
1.4	1.4	1.4	1.4	1.3	1.3	1.4	1.4	D
BZ	MS	BZ	MS	MS	MS	MS	MS	
2,000	2,000	4,800	4,800	2,000	4,800	2,000	5,000	1)
2000 0747	2000 0747	2000 0085	2000 0085	2000 0749	2000 0129	2000 0162	2000 0086	2)






2037 8018	2037 8016	2037 8015	2037 8008	2037 8010	2037 8011	
1.0	1.0	1.0	1.0	1.0	1.0	Ø
1.0	1.0	1.0	1.0	1.0	1.0	B
2.8	2.8	2.8	2.8	2.8	2.8	B2
2.8	2.8	2.8	2.8	2.8	2.8	B1
3.8	3.8	3.8	3.8	3.8	3.8	T
6.7	6.7	6.7	6.7	6.7	6.7	L
10.5	10.5	10.5	10.5	10.5	10.5	L1
0.8	0.8	0.8	0.8	0.8	0.8	S
1.4	1.4	1.4	1.4	1.5	1.5	D
BZ	MS	BZ	MS	MS	MS	
2,000	2,000	5,000	5,000	2,000	5,000	1)
2000 0162	2000 0162	2000 0086	2000 0086	2000 0162	2000 0086	2)

- 1) Packing pcs
- 2) Tooling

PCB Vertical Tabs For Receptacles


Connection width: 2.8mm

 								
According to DIN 46342 for receptacles 2.8 mm								
Material		Brass (MS)						
Surface treatment		Tinned (other treatments on request)						
								
2037 8503	2037 8514	2037 8509	2037 8516	2037 8501	2037 8520	2037 8517	2001 0303	
0.9	0.9	1.0	1.0	1.0	1.0	1.0	1.0	Ø
0.8	0.8	0.8	0.8	1.1	1.1	0.9	0.9	B
2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	A
-	-	-	-	-	-	-	-	B2
5.2	5.2	5.2	5.2	3.7	3.7	3.5	3.5	B1
3.5	3.5	3.5	3.5	4.0	4.0	4.0	4.0	T
10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	L
16.9	16.9	16.9	16.9	13.0	13.0	13.0	13.0	L1
0.5	0.5	0.8	0.8	0.5	0.5	0.8	0.8	S
1.3	1.3	1.3	1.3	1.4	1.4	1.4	1.4	D
MS	MS	MS	MS	MS	MS	MS	MS	
2,000	4,800	2,000	5,000	2,000	4,800	2,000	5,000	1)
2010 3764	2000 0132	2010 3764	2000 0133	2000 0749	2000 0555	2000 0750	2000 0207	2)
     								
2037 8507	2037 7910	2037 7961	2037 8518	2037 8506	2037 8502			
1.1	1.1	1.1	1.1	1.1	1.1			Ø
1.1	1.0	1.0	1.0	1.1	1.1			B
2.5	-	-	-	2.5	2.5			A
-	2.8	2.8	-	-	-			B2
3.7	2.8	2.8	5.0	3.7	3.7			B1
1.5	2.0	2.0	3.5	4.0	4.0			T
7.0	10.0	10.0	12.5	7.0	7.0			L
10.5	12.0	12.0	27.5	13.0	13.0			L1
0.5	0.8	0.8	0.8	0.8	0.8			S
1.3	1.4	1.4	1.3	1.4	1.4			D
MS	MS	MS	MS	MS	MS			
2,000	2,000	5,000	2,000	2,000	5,000			1)
2000 0749	2000 0162	2000 0791	2010 3764	2000 0750	2000 0207			2)

- 1) Packing pcs
- 2) Tooling

PCB Vertical Tabs For Receptacles


Connection width: 2.8mm




According to DIN 46342 for receptacles 2.8 mm

Material Brass (MS)

Surface treatment Tinned (other treatments on request)



2037 8503	2037 8514	2037 8509	2037 8516	2037 8501	2037 8520	2037 8517	2001 0303	
0.9	0.9	1.0	1.0	1.0	1.0	1.0	1.0	Ø
0.8	0.8	0.8	0.8	1.1	1.1	0.9	0.9	B
2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	A
-	-	-	-	-	-	-	-	B2
5.2	5.2	5.2	5.2	3.7	3.7	3.5	3.5	B1
3.5	3.5	3.5	3.5	4.0	4.0	4.0	4.0	T
10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	L
16.9	16.9	16.9	16.9	13.0	13.0	13.0	13.0	L1
0.5	0.5	0.8	0.8	0.5	0.5	0.8	0.8	S
1.3	1.3	1.3	1.3	1.4	1.4	1.4	1.4	D
MS	MS	MS	MS	MS	MS	MS	MS	
2,000	4,800	2,000	5,000	2,000	4,800	2,000	5,000	1)
2010 3764	2000 0132	2010 3764	2000 0133	2000 0749	2000 0555	2000 0750	2000 0207	2)




2037 8507	2037 7910	2037 7961	2037 8518	2037 8506	2037 8502	
1.1	1.1	1.1	1.1	1.1	1.1	Ø
1.1	1.0	1.0	1.0	1.1	1.1	B
2.5	-	-	2.5	2.5	2.5	A
-	2.8	2.8	-	-	-	B2
3.7	2.8	2.8	5.0	3.7	3.7	B1
1.5	2.0	2.0	3.5	4.0	4.0	T
7.0	10.0	10.0	12.5	7.0	7.0	L
10.5	12.0	12.0	27.5	13.0	13.0	L1
0.5	0.8	0.8	0.8	0.8	0.8	S
1.3	1.4	1.4	1.3	1.4	1.4	D
MS	MS	MS	MS	MS	MS	
2,000	2,000	5,000	2,000	2,000	5,000	1)
2000 0749	2000 0162	2000 0791	2010 3764	2000 0750	2000 0207	2)

1) Packing pcs

2) Tooling

PCB Vertical Tabs For Receptacles




Connection width: 2.8mm








According to DIN 46342 for receptacles 2.8 mm

Material Brass (MS)

Surface treatment Tinned (other treatments on request)



2037 8515	2037 7568	2037 7502	2037 8512	2037 8510	2037 8504	2037 8513	
1.1	1.1	1.1	1.2	1.2	1.2	1.2	Ø
1.1	0.9	0.9	1.1	1.1	1.1	1.1	B
2.5	-	-	2.5	2.5	2.5	2.5	A
-	2.8	2.8	-	-	-	-	B2
3.7	4.0	4.0	3.7	3.7	3.7	3.7	B1
4.0	4.0	3.5	3.0	3.0	3.0	3.0	T
7.0	32.5	49.5	11.0	11.0	14.0	14.0	L
13.0	39.0	55.5	16.0	16.0	19.0	19.0	L1
0.5	0.8	0.8	0.8	0.8	0.8	0.8	S
1.4	1.0	1.0	1.2	1.2	1.2	1.2	D
MS	MS	MS	MS	MS	MS	MS	
2,000	2,000	5,000	2,000	2,000	2,000	2,000	1)
2000 0749	-	-	2010 3764	2000 0503	2010 3764	2000 0131	2)




2037 8005	2037 7600	2037 8523	2037 8524	2037 8525	2037 8522	2037 7100	2037 7101	
1.1/1.2	0.9/1.0	0.8	0.9	0.9	1.1	1.2	1.2	Ø
1.0	0.9	0.65	0.8	0.8	1.0	1.3	1.3	B
-	2.5	4.0	4.0	4.0	3.8	-	-	A
2.8	-	-	-	-	-	2.8	2.8	B2
2.8	4.0	8.0	8.0	8.0	4.8	2.8	2.8	B1
3.0	2.5	3.5	3.5	3.5	3.5	7.5	7.5	T
17.0	6.5	8.1	8.1	8.1	8.2	10.0	10.0	L
20.0	12.7	15.4	15.4	15.4	15.2	17.5	17.5	L1
0.8	0.5	0.8	0.8	0.8	0.8	0.5	0.5	S
1.3	-	1.4	1.4	1.4	1.3	1.2	1.2	D
MS	MS	MS	MS	MS	MS	MS	MS	
2,000	2,000	2,000	2,000	2,000	2,000	2,000	4,800	1)
2000 0162	2010 3593	2010 3732	2010 3732	2000 0113	-	2000 0747	2000 0126	2)








- 1) Packing pcs
- 2) Tooling

PCB Vertical Tabs For Receptacles

Connection width: 2.8mm




According to DIN 46342 for receptacles 2.8 mm

Material		Bronze (BZ), brass (MS)						
Surface treatment		Tinned (other treatments on request)						
								
2037 7102	2037 7103	2037 8106	2037 8003	2037 8004	2037 8025			
1.3	1.3	1.3	1.3	1.3	1.3	Ø		
1.3	1.3	1.3	1.3	1.3	1.3	B		
2.8	2.8	2.8	2.8	2.8	2.8	B2		
2.8	2.8	2.8	2.8	2.8	2.8	B1		
7.5	7.5	3.8	3.8	3.8	3.8	T		
10.0	10.0	6.7	6.7	6.7	6.7	L		
17.5	17.5	10.5	10.5	10.5	10.5	L1		
0.8	0.8	0.5	0.5	0.8	0.8	S		
1.2	1.2	1.4	1.4	1.4	1.4	D		
MS	MS	MS	MS	BZ	MS			
2,000	5,000	2,000	4,800	2,000	2,000	1)		
2000 0162	2000 0791	2000 0747	2000 0085	2000 0162	2000 0162	2)		
								
2037 8006	2037 8007	2037 8014	2037 8012	2037 7305	2037 7301	2037 7507	2037 7302	
1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	Ø
1.3	1.3	1.0	1.0	1.4	1.4	1.4	1.4	B
2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	B2
2.8	2.8	2.8	2.8	3.8	3.8	3.8	3.8	B1
3.8	3.8	3.8	3.8	3.2	3.2	3.2	3.2	T
6.7	6.7	6.7	6.7	7.1	7.1	7.1	7.1	L
10.5	10.5	10.5	10.5	12.2	12.2	12.2	12.2	L1
0.8	0.8	1.0	1.0	0.5	0.5	0.5	0.5	S
1.4	1.4	1.4	1.4	1.2x3.0	1.2x3.0	1.2x3.0	1.2x3.0	D
BZ	MS	MS	MS	BZ	MS	BZ	MS	
5,000	5,000	2,000	1,600	2,000	2,000	4,800	4,800	1)
2000 0086	2000 0086	2000 0750	2000 0087	2000 0749	2000 0749	2000 0205	2000 0205	2)

- 1) Packing pcs
2) Tooling

PCB Vertical Tabs For Receptacles

Connection width: 2.8mm





According to DIN 46342 for receptacles 2.8 mm

Material Bronze (BZ), brass (MS)

Surface treatment Tinned (other treatments on request)


								
2037 7339	2037 7340	2037 7310	2037 7325	2037 7308	2037 7309	2037 7503	2037 7510	
1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	Ø
1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	B
2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	B2
3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	B1
3.2	3.2	7.0	7.0	7.0	7.0	3.2	3.2	T
7.1	7.1	7.0	7.0	7.0	7.0	7.0	7.0	L
12.2	12.2	16.1	16.1	16.1	16.1	12.3	12.3	L1
0.8	0.8	0.5	0.5	0.8	0.8	0.5	0.5	S
1.2x3.0	1.2x3.0	1.2x3.0	1.2x3.0	1.2x3.0	1.2x3.0	1.3	1.3	D
MS	MS	MS	MS	MS	MS	BZ	MS	
2,000	5,000	2,000	4,800	2,000	5,000	2,000	2,000	1)
2000 0750	2000 0206	2000 0749	2000 0205	2000 0750	2000 0206	2000 0749	2000 0749	2)

									
2037 7511	2037 7508	2037 7504	2037 7517	2037 7505	2037 7509	2037 7506	2037 7512	2037 7518	
1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3/1.4	Ø
1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	B
2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	B2
3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	B1
3.2	3.2	3.2	3.2	3.2	3.2	7.0	7.0	7.0	T
7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	L
12.3	12.3	12.3	12.3	12.3	12.3	16.1	16.1	16.1	L1
0.5	0.5	0.8	0.8	0.8	0.8	0.5	0.5	0.8	S
1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	D
BZ	MS	BZ	MS	BZ	MS	MS	MS	MS	
4,800	4,800	2,000	2,000	5,000	5,000	2,000	4,800	2,000	1)
2000 0205	2000 0205	2000 0750	2000 0750	2000 0206	2000 0206	2000 0749	2000 0205	2000 0750	2)

- 1) Packing pcs
2) Tooling

PCB Vertical Tabs For Receptacles

Connection width: 2.8mm



According to DIN 46342 for receptacles 2.8 mm

Material	Bronze (BZ), brass (MS)
Surface treatment	Tinned (other treatments on request)



2037 7513	2037 7590	2037 7905	2037 7911	2037 7300	2037 7303	2037 7304	
1.3	1.3	1.4	1.3/1.4	1.4	1.4	1.4	Ø
1.4	1.3	1.4	1.4	1.5	1.5	1.5	B
2.8	2.8	2.8	2.8	2.8	2.8	2.8	B2
3.8	3.8	5.0	5.0	3.8	3.8	3.8	B1
7.0	4.1	4.0	4.0	3.2	3.2	3.2	T
7.0	8.0	7.0	7.0	7.0	7.0	7.0	L
16.1	16.2	12.5	12.5	12.3	12.3	12.3	L1
0.8	0.5	0.5	0.5	0.5	0.5	0.5	S
1.3	1.2	1.3x2.4	1.3x2.4	1.3x3.1	1.3x3.1	1.3x3.1	D
MS	MS	MS	MS	BZ	MS	BZ	
5,000	2,000	2,000	4,800	2,000	2,000	4,800	1)
2000 0206	2000 0749	2000 0749	2000 0098	2000 0749	2000 0749	2000 0205	2)



2037 7306	2037 7307	2037 7914	2037 1900	2010 1908	2010 1902	
1.4	1.4	1.5/1.6	1.6	1.6	1.6	Ø
1.5	1.5	Ø1.5	1.5	1.5	1.5	B
2.8	2.8	2.8	-	-	-	B2
3.8	3.8	5.0	2.8	2.8	2.8	B1
3.2	3.2	4.3	7.5	21.0	21.0	T
7.0	7.0	6.8	14.2	28.0	28.0	L
12.3	12.3	12.5	-	-	-	L1
0.5	0.5	0.5	0.8	0.8	0.8	S
1.3x3.1	-	1.2	1.2	1.2	1.2	D
MS	BZ	BZ	MS	BZ	MS	
4,800	2,000	2,000	2,000	1,000	1,000	1)
2000 0205	2000 0749	2000 0747	2000 0162	2000 0162	2000 0162	2)

- 1) Packing pcs
- 2) Tooling