




Solder Lugs For Printed Circuit Boards

									
Material		Bronze (BZ), brass (MS)							
Surface treatment		Tinned (other treatments on request)							
									
2009 9000	2009 9268	2010 0028	2010 0001	2010 0101	2010 0099	2010 0110	2010 0109	2010 0167	
0.5	0.5	0.6/1.1	0.6/0.7	0.7/0.8	0.7/0.8	0.7/0.8	0.7/0.8	0.7/0.8	Ø
0.5	0.5	0.6/1.0	0.7	0.75	0.75	0.75	0.75	0.8	B
2.0	2.0	5.0/1.0	3.5	1.5	1.5	1.5	1.5	2.5	T
0.8	0.8	1.6	1.6	1.8	1.8	1.8	1.8	1.8	B1
4.7	8.0	8.5	7.5	6.5	6.5	8.0	8.0	7.5	L
-	-	-	1.0	0.8	0.8	0.8	0.8	0.8	N
-	-	-	1.2	1.2	1.2	1.2	1.2	1.2	N1
-	-	-	-	0.8	0.8	0.8	0.8	0.9	D
0.3	0.3	0.5	0.4	0.4	0.4	0.4	0.4	0.4	S
MS	MS	BZ	BZ	MS	MS	MS	MS	MS	
5,000	5,000	2,000	2,000	2,000	5,200	2,000	5,200	2,000	1)
-	-	2010 3504	2010 3502	2010 3556	2000 0023	2010 3556	2000 0022	2010 3556	2)
									
2010 0116	2010 1001	2010 1002	2010 0107	2010 0168	2010 0166	2000 7736	2000 7737	2010 0100	
0.7/0.8	0.7	0.8	0.8	0.9	0.8/0.9	0.9	0.9	0.9	Ø
0.8	0.8	0.8	0.8	0.9	0.9	0.9	0.9	0.9	B
2.5	3.5	3.8	5.5	2.5	2.5	2.7	2.7	3.0	T
1.8	1.6	2.4	1.6	1.8	1.8	1.9	1.9	2.8	B1
7.5	7.5	10.3	9.3	8.5	8.5	5.3	5.3	10.0	L
0.8	1.0	0.8	1.0	0.8	0.8	-	-	1.2	N
1.2	1.2	5.0	0.8	1.2	1.2	-	-	1.0	N1
0.9	-	-	-	0.8	0.8	0.8	0.8	-	D
0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.6	S
MS	BZ	MS	BZ	MS	MS	BZ	BZ	MS	
5,200	2,000	2,000	2,000	2,000	5,200	2,000	4,800	2,000	1)
2000 0023	2010 3502	-	2010 3502	2010 3556	2000 0008	2010 3504	2000 0010	2010 3505	2)


1) Packing pcs
2) Tooling


Solder Lugs For Printed Circuit Boards

									
Material		Bronze (BZ), brass (MS)							
Surface treatment		Tinned (other treatments on request)							
									
2010 0098	2010 0171	2010 0200	2010 0208	2010 0172	2010 0173	2000 4647	2000 4648		
0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	Ø	
0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0	B	
3.0	3.0	3.0	3.0	3.1	3.1	3.8	3.8	T	
2.8	0.9	2.4	2.4	1.9	1.9	2.8	2.8	B1	
10.0	11.5	10.0	10.0	7.1	7.1	6.9	6.9	L	
1.2	0.9	1.4	1.4	0.8	0.8	-	-	N	
1.0	-	1.2	1.2	1.0	1.0	-	-	N1	
-	-	1.2	1.2	0.9	0.9	0.8	0.8	D	
0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	S	
MS	MS	MS	MS	BZ	BZ	MS	MS		
5,400	2,000	2,000	4,800	2,000	4,800	2,000	4,800	1)	
2000 0011	2010 3511	2010 3519	2000 0069	2010 3504	2000 0009	2010 3554	2000 0007	2)	
									
2010 0170	2010 0174	2010 0175	2010 0176	2010 0169	2001 0019	2001 0020	2010 0180	2010 0181	
0.9	0.9	0.9/1.0	0.9/1.0	0.9/1.0	0.9	0.9	1.0	1.0	Ø
0.9	0.9	0.95	0.95	0.9	1.0	1.0	1.0	1.0	B
4.0	4.0	3.0	3.0	4.0	2.5	2.5	4.0	5.0	T
1.9	1.9	2.4	2.4	2.4	2.4	2.4	1.7	2.5	B1
6.9	6.9	17.8	17.8	8.5	5.5	5.5	13.0	14.6	L
0.8	0.8	1.0	1.0	1.4	0.8	0.8	-	0.6	N
0.7	0.7	1.5	1.5	2.5	2.5	2.5	-	6.0	N1
0.8	0.8	1.2	1.2	-	1.2	1.2	-	-	D
0.5	0.5	0.6	0.6	0.5	0.6	0.6	0.6	0.3	S
BZ	BZ	MS	MS	BZ	MS	MS	MS	MS	
2,000	4,800	2,000	5,400	2,000	2,000	5,400	2,000	2,000	1)
2010 3504	2000 0010	2010 3764	2000 0030	-	2010 3570	2000 0028	2010 3509	2010 3590	2)

1) Packing pcs
2) Tooling




Solder Lugs For Printed Circuit Boards



Material		Bronze (BZ), brass (MS)						
Surface treatment		Tinned (other treatments on request)						
								
2010 0270	2010 0203	2010 0199	2010 0020	2010 0021	2010 0022	2010 0023	2010 0030	
1.0	1.0	1.0	1.1	1.1	1.0	1.0	1.1	Ø
1.0	1.0	1.0	1.2	1.2	1.1	1.1	1.1	B
7.0	8.0	8.0	1.5	1.5	2.9	2.9	3.0	T
2.2	1.9	1.9	1.8	1.8	2.0	2.0	1.15	B1
20.0	11.0	11.0	8.0	8.0	9.9	9.9	9.6	L
-	0.8	0.8	0.8	0.8	1.2	1.2	-	N
-	0.7	0.7	1.2	1.2	1.5	1.5	-	N1
-	0.8	0.8	0.8	0.8	0.9	0.9	1.0	D
0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5	S
MS	BZ	BZ	MS	MS	BZ	BZ	MS	
2,000	2,000	4,800	2,000	4,800	2,000	4,800	2,000	1)
2010 3508	2010 3504	2000 0068	2010 3556	2000 0070	2010 3556	2000 0074	-	2)




- 1) Packing pcs
- 2) Tooling

Solder Lugs For Printed Circuit Boards

									
Material		Bronze (BZ), brass (MS)							
Surface treatment		Tinned (other treatments on request)							
									
2010 0263	2010 0264	2010 0204	2010 0221	2010 0222	2010 0223	2010 0210	2010 0219	2010 0205	
1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	Ø
1.2	1.2	1.2	1.2	1.2	1.2	1.1	1.1	1.1	B
3.0	3.0	3.0	3.0	3.0	3.0	3.3	3.3	4.0	T
2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	3.5	B1
8.5	8.5	8.5	8.5	8.5	8.5	11.4	11.4	10.2	L
1.3	1.3	1.3	1.3	1.3	1.3	-	-	1.7	N
1.5	1.5	1.5	1.5	1.5	1.5	-	-	1.7	N1
1.5	1.5	1.5	1.5	1.5	1.5	1.2	1.2	1.3	D
0.5	0.5	0.5	0.5	0.6	0.6	0.5	0.5	0.6	S
BZ	MS	BZ	MS	BZ	BZ	MS	MS	BZ	
2,000	2,000	4,800	4,800	2,000	5,400	2,000	4,800	2,000	1)
2010 3509	2010 3509	2000 0175	2000 0175	2010 3509	2000 0065	2010 3511	2000 0072	2000 2509	2)
Material		Bronze (BZ), brass (MS), copper (CU)							
Surface treatment		Tinned (other treatments on request)							
									
2010 0212	2010 0211	2010 0209	2010 0213	2010 0207	2010 0214	2010 0215	2010 0329	2010 0330	
1.1	1.1	1.1	1.1	1.1	1.1	1.2	1.2	1.2	Ø
1.1	1.0	1.1	1.1	1.1	1.1	1.1	1.2	1.2	B
4.0	4.0	4.0	4.0	6.6	6.6	1.5	2.2	2.5	T
3.5	3.5	3.0	3.0	2.2	2.2	1.0	2.5	2.0	B1
10.2	17.0	10.3	10.3	13.0	13.0	10.5	14.8	7.0	L
1.7	1.1	1.8	1.8	1.0	1.0	-	1.2	0.9	N
1.7	6.0	2.8	2.8	2.7	2.7	-	2.5	1.0	N1
1.3	1.2	-	-	-	-	-	-	-	D
0.6	0.5	0.6	0.6	0.5	0.5	0.5	0.5	0.5	S
BZ	CU	MS	MS	MS	MS	MS	MS	BZ	
5,400	2,000	2,000	5,400	2,000	4,800	2,000	2,000	2,000	1)
2000 0201	2010 3591	2000 0146	2000 0790	2010 3507	2000 0002	2010 3585	2010 3511	2010 3504	2)

1) Packing pcs
2) Tooling

Solder Lugs For Printed Circuit Boards

									
Material		Bronze (BZ), brass (MS)							
Surface treatment		Tinned (other treatments on request)							
									
2010 0331	2010 0332	2010 0310	2010 0301	2010 1502	2010 1503	2000 3986	2000 3987	2010 0201	Ø
1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	B
1.2	1.2	1.2	1.2	1.2	1.2	1.25	1.25	1.1	T
2.5	2.5	2.5	2.5	2.6	2.6	3.0	3.0	3.7	B1
2.5	2.5	3.0	3.0	2.0	2.0	2.5	2.5	2.9	L
7.5	6.4	8.5	8.5	5.6	5.6	8.5	8.5	10.2	N
0.8	-	0.8	0.8	0.8	0.8	1.3	1.3	1.2	N1
1.6	-	2.2	2.2	1.7	1.7	1.4	1.4	2.1	D
-	-	1.2	1.2	-	-	1.4	1.4	1.2	S
0.15	0.3	0.5	0.5	0.4	0.4	0.6	0.6	0.8	
BZ	MS	MS	MS	MS	MS	BZ	BZ	MS	
2,000	2,000	2,000	4,800	2,000	5,200	2,000	5,400	2,000	1)
-	-	2010 3553	2000 0049	2010 3504	2000 0067	2010 3509	2000 0065	2000 0162	2)
									
2010 0202	2010 0300	2010 0302	2010 0400	2010 0311	2010 0312	2010 0345	2010 0346		Ø
1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2		B
1.1	1.25	1.25	1.2	1.2	1.2	1.2	1.2		T
3.7	4.0	4.0	4.5	5.0	5.0	5.0	5.0		B1
2.9	2.4	2.4	2.0	3.0	3.0	3.0	3.0		L
10.2	13.0	13.0	15.0	11.3	11.3	11.3	11.3		N
1.2	1.2	1.2	1.0	1.2	1.2	1.7	1.7		N1
2.1	1.9	1.9	2.4	2.2	2.2	2.4	2.4		D
1.2	-	-	-	-	-	-	-		S
0.8	0.5	0.5	0.35	0.6	0.6	0.6	0.6		
MS	MS	MS	MS	MS	MS	MS	MS		
5,000	2,000	4,800	2,000	2,000	5,400	2,000	5,400		1)
2000 0202	2010 3511	2000 0147	2010 3508	2000 0765	2000 0003	2000 0765	2000 0003		2)



1) Packing pcs

2) Tooling

1) Packing pcs


2) Tooling

Solder Lugs For Printed Circuit Boards

									
Material		Bronze (BZ), brass (MS), copper (CU)							
Surface treatment		Tinned (other treatments on request)							
									
2010 0600	2010 0402	2010 0403	2010 0309	2010 0313	2010 0112	2010 0113	2010 0900	2010 0901	
1.2	1.2/1.3	1.2	1.2/1.3	1.2	1.3	1.3	1.3	1.3	Ø
1.2	1.25	1.25	1.3	1.3	1.4	1.4	1.5	1.5	B
5.5	2.4	2.4	3.5	3.5	2.7	2.7	2.6	2.6	T
2.0	2.0	2.0	2.2	2.2	3.0	3.0	3.0	3.0	B1
18.0	11.4	11.4	11.5	11.5	7.0	7.0	9.6	9.6	L
1.0	0.8	0.8	1.2	1.2	1.2	1.2	1.2	1.2	N
2.4	1.0	1.0	2.2	2.2	2.3	2.3	2.0	2.0	N1
-	0.8/1.5	0.8/1.5	1.2/2.2	1.2/2.2	-	-	1.3/2.6	1.3/2.6	D
0.35	0.5	0.5	0.5	0.5	0.6	0.6	0.5	0.5	S
MS	CU	CU	MS	MS	MS	MS	BZ	BZ	
2,000	2,000	4,800	2,000	4,800	2,000	5,400	2,000	4,125	1)
2010 3508	2010 3511	2000 0038	2010 3511	2000 0059	2000 0765	2000 0027	2000 0747	2000 0075	2)
Material		Bronze (BZ), brass (MS)							
Surface treatment		Tinned (other treatments on request)							
									
2010 1506	2010 1507	2010 1000	2037 7903	2037 7916	2037 7900	2037 7965	2037 7901	2037 7902	
1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	Ø
1.35	1.35	1.3	1.23	1.23	1.23	1.23	1.23	1.23	B
3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	T
2.0	2.0	1.4	2.8	2.8	2.8	2.8	2.8	2.8	B1
6.0	6.0	8.0	8.0	11.0	11.0	11.0	11.0	11.0	L
0.8	0.8	0.6	1.2	1.35	1.35	1.35	1.35	1.35	N
1.7	1.7	1.4	1.5	3.0	3.0	3.0	3.0	3.0	N1
-	-	-	1.5	1.0	1.0	1.0	1.6	1.6	D
0.4	0.4	0.15	0.8	0.8	0.8	0.8	0.8	0.8	S
MS	MS	MS	BZ	BZ	BZ	BZ	BZ	BZ	
2,000	5,200	2,000	2,000	2,000	2,000	5,000	2,000	2,000	1)
2010 3504	2000 0067	2010 3510	2000 0162	2000 0162	2000 0162	2000 0015	2000 0162	2000 0015	2)

1) Packing pcs
2) Tooling


Solder Lugs For Printed Circuit Boards



Material		Bronze (BZ), brass (MS)							
Surface treatment		Tinned (other treatments on request)							
									
2037 7904	2037 7906	2037 7907	2010 1504	2010 1500	2010 1540	2010 1538	2010 1501	2010 1554	
1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	Ø
1.23	1.23	1.23	1.4	1.4	1.4	1.4	1.4	1.4	B
3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	T
2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	B1
8.0	8.0	8.0	7.5	7.5	7.5	7.5	7.5	7.5	L
1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	N
1.5	1.5	1.5	2.2	2.2	2.2	2.2	2.2	2.2	N1
1.5	1.5	1.5	-	-	-	-	-	-	D
0.8	0.8	0.8	0.5	0.5	0.5	0.5	0.6	0.6	S
BZ	BZ	BZ	BZ	MS	BZ	MS	BZ	BZ	
2,000	2,000	5,000	2,000	2,000	4,800	4,800	2,000	5,400	1)
2000 0162	2000 0162	2000 0018	2000 0146	2000 0146	2000 0200	2000 0200	2000 0146	2000 0001	2)
									
2010 1603	2010 1604	2010 1605	2010 1606	2010 1636	2010 1637	2010 0910	2010 0911	2010 1623	
1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	
1.4	1.4	1.4	1.4	1.4	1.4	1.5	1.5	1.4	B
3.6	3.6	3.6	3.6	3.5	3.5	3.5	3.5	3.5	T
3.0	3.0	3.5	3.5	4.0	4.0	3.0	3.0	3.0	B1
6.3	6.3	7.1	7.1	8.5	8.5	10.5	10.5	10.5	L
1.2	1.2	1.2	1.2	2.0	2.0	1.2	1.2	1.0	N
0.8	0.8	0.8	0.8	3.0	3.0	2.0	2.0	2.0	N1
1.0	1.0	1.3/2.0	1.3/2.0	1.0	1.0	1.3/2.6	1.3/2.6	1.3	D
0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.6	S
BZ	BZ	BZ	BZ	MS	MS	BZ	BZ	MS	
2,000	5,400	2,000	5,400	2,000	5,400	2,000	4,800	2,000	1)
2010 3554	2000 0017	2010 3560	2000 0016	2010 3561	2000 0025	2000 0747	2000 0075	2010 3505	2)

- 1) Packing pcs
2) Tooling



Solder Lugs For Printed Circuit Boards

									
Material		Bronze (BZ), brass (MS)							
Surface treatment		Tinned (other treatments on request)							
									
2010 1625	2010 0303	2000 7914	2000 7915	2010 1609	2010 1608	2001 0160			
1.3	1.3	1.3	1.3	1.3	1.3	1.3	Ø		
1.4	1.2	1.35	1.35	1.4	1.4	1.4	B		
3.5	3.5	4.0	4.0	4.0	4.0	4.0	T		
3.0	2.8	4.0	4.0	3.5	3.5	3.5	B1		
10.5	17.5	15.0	15.0	10.0	10.0	10.0	L		
1.0	0.6	1.2	1.2	1.3	1.3	1.3	N		
2.0	10.5	2.0	2.0	1.7	1.7	1.7	N1		
1.3	-	1.5/3.0	1.5/3.0	1.3/2.2	1.3/2.2	1.3/2.2	D		
0.6	0.6	0.5	0.5	0.6	0.6	0.6	S		
MS	BZ	BZ	BZ	BZ	MS	BZ			
5,400	2,000	2,000	4,800	2,000	2,000	5,400	1)		
2000 0019	2000 0765	2000 0745	2000 0037	2000 2509	2000 2509	2000 0170	2)		
									
2010 1600	2010 0740	2010 0787	2010 0752	2010 0753	2010 1529	2010 1530	2010 1760	2010 1761	
1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	Ø
1.4	1.3	1.3	1.3	1.3	1.3	1.3	1.4	1.4	B
4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	T
3.5	2.8	2.8	2.8	2.8	3.5	3.5	2.5	2.5	B1
10.0	10.5	10.5	10.5	10.5	10.2	10.2	10.0	10.0	L
1.3	1.2	1.2	1.4	1.4	1.7	1.7	1.0	1.0	N
1.7	2.5	2.5	2.5	2.5	1.7	1.7	3.0	3.0	N1
1.3/2.2	-	-	-	-	1.3	1.3	1.0	1.0	D
0.6	0.5	0.5	0.5	0.5	0.6	0.6	0.5	0.5	S
MS	MS	MS	MS	MS	BZ	BZ	MS	MS	
5,400	2,000	4,800	2,000	4,800	2,000	5,400	2,000	4,800	1)
2000 0170	2000 0747	2000 0039	2000 0747	2000 0039	2000 2509	2000 0201	2010 3509	2000 0043	2)

1) Packing pcs


2) Tooling

Solder Lugs For Printed Circuit Boards

									
Material		Bronze (BZ),brass (MS)							
Surface treatment		Tinned (other treatments on request)							
									
2010 1855	2010 1856	2010 1803	2010 1804	2010 1805	2010 1806	2010 1807	2010 1800	2010 1700	
1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	Ø
1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	B
6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	9.5	T
2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.5	B1
11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	15.5	L
1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.0	N
2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.8	N1
-	-	-	-	-	-	-	-	-	D
0.5	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	S
BZ	MS	BZ	MS	BZ	MS	BZ	MS	MS	
2,000	2,000	4,800	4,800	2,000	2,000	5,400	5,400	2,000	1)
2000 0146	2000 0146	2000 0200	2000 0200	2000 0146	2000 0146	2000 0001	2000 0001	2010 3509	2)
									
2010 1615	2010 1616	2010 0304	2010 0305	2010 1612	2010 1613	2010 1300	2010 1301	2010 1302	
1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	Ø
1.4	1.4	1.4	1.4	1.45	1.45	1.4	1.4	1.5	B
3.0	3.0	2.9	2.9	3.0	3.0	3.0	3.0	3.0	T
3.0	3.0	2.0	2.0	2.5	2.5	2.8	2.8	2.8	B1
24.5	24.5	9.9	9.9	8.5	8.5	10.0	10.0	10.0	L
1.3	1.3	1.2	1.2	1.3	1.3	1.1	1.1	1.2	N
2.0	2.0	1.5	1.5	1.4	1.4	1.0	1.0	1.0	N1
1.2	1.2	0.9	0.9	1.4	1.4	1.2/3.0	1.2/3.0	1.2/3.0	D
0.5	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.6	S
MS	MS	BZ	BZ	BZ	BZ	MS	MS	MS	
2,000	4,800	2,000	4,800	2,000	5,400	2,000	5,400	2,000	1)
2010 3574	2000 0020	2010 3556	2000 0074	2000 0162	2000 0021	2000 0747	2010 4900	2000 0747	2)

1) Packing pcs
2) Tooling


Solder Lugs For Printed Circuit Boards

									
Material		Bronze (BZ), brass (MS)							
Surface treatment		Tinned (other treatments on request)							
									
2010 1303	2010 1304	2010 1305	2010 1619	2010 1620	2010 1610	2010 1611			
1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	Ø		
1.5	1.5	1.5	1.45	1.45	1.5	1.5	B		
3.0	3.0	3.0	3.2	3.2	3.2	3.2	T		
2.8	2.8	2.8	2.8	2.8	2.8	2.8	B1		
10.0	10.0	10.0	8.8	8.8	22.7	22.7	L		
1.2	1.4	1.4	1.2	1.2	1.0	1.0	N		
1.0	1.0	1.0	2.0	2.0	2.0	2.0	N1		
1.2/3.0	1.2/3.0	1.2/3.0	1.2	1.2	1.2	1.2	D		
0.6	0.6	0.6	0.6	0.6	0.6	0.6	S		
MS	MS	MS	MS	MS	MS	MS			
5,400	2,000	5,400	2,000	5,400	2,000	3,750	1)		
2010 4900	2000 0747	2010 4900	2000 0765	2000 0014	2010 3764	2000 0026	2)		
									
2010 1645	2010 1640	2010 1621	2010 1622	2010 1524	2010 1525	2010 1505	2010 1508	2010 1624	
1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	1.3/1.4	1.3	Ø
1.4	1.4	1.45	1.45	1.4	1.4	1.4	1.4	1.4	B
3.9	3.9	4.0	4.0	4.0	4.0	4.7	4.7	2.6	T
2.8	2.8	2.5	2.5	2.3	2.3	2.3	2.3	3.5	B1
8.4	8.4	9.5	9.5	7.5	7.5	8.2	8.2	5.9	L
1.0	1.0	1.3	1.3	1.2	1.2	1.2	1.2	1.2	N
1.0	1.0	1.4	1.4	1.1	1.1	1.1	1.1	0.8	N1
1.2/2.2	1.2/2.2	1.4	1.4	1.2	1.2	1.2	1.2	1.4	D
0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	S
BZ	BZ	BZ	BZ	BZ	BZ	BZ	BZ	BZ	
2,000	4,800	2,000	5,400	2,000	5,400	2,000	5,400	2,000	1)
2000 0146	2000 0013	2000 0162	2000 0021	2010 3515	2000 0451	2010 3515	2000 0451	2010 3560	2)

1) Packing pcs

2) Tooling

Solder Lugs For Printed Circuit Boards



Material	Bronze (BZ), brass (MS)
Surface treatment	Tinned (other treatments on request)



2010 1607	2010 1601	2010 1626	2010 1627	2010 1628	2010 1200	2010 1401	2037 7908	2037 7909	
1.3	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	Ø
1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.45	1.45	B
2.6	2.9	2.9	2.9	2.9	3.0	3.0	3.2	3.2	T
3.5	2.8	2.8	2.8	2.8	3.0	1.4	2.8	2.8	B1
5.9	8.5	8.5	8.5	8.5	7.5	12.2	13.8	13.8	L
1.2	1.7	1.7	1.7	1.7	-	-	1.2/1.6	1.2/1.6	N
0.8	2.0	2.0	2.0	2.0	-	-	2.0	2.0	N1
1.4	1.1	1.1	1.1	1.1	-	-	1.2	1.2	D
0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	S
BZ	BZ	MS	BZ	MS	MS	MS	MS	MS	
5,400	2,000	2,000	5,400	5,400	2,000	2,000	2,000	5,000	1)
2000 0016	2010 3505	2010 3505	2000 0014	2000 0014	2000 0765	2010 3566	2000 0750	2000 0130	2)

Material	Bronze (BZ), brass (MS), copper (CU)
Surface treatment	Tinned (other treatments on request)



2010 1618	2010 1617	2010 1701	2010 1702	2010 0700	2010 0701	2010 1703	2010 1704	
1.4	1.4	1.4	1.4	1.4/1.5	1.4/1.5	1.4/1.5	1.5	Ø
1.45	1.45	1.4	1.4	1.35	1.35	1.4	1.5	B
3.2	3.2	3.2	3.2	4.0	4.0	4.0	3.2	T
2.8	2.8	3.0	3.0	4.0	4.0	3.6	3.0	B1
13.8	13.8	7.2	23.4	15.0	15.0	8.5	8.2	L
1.2/1.6	1.2/1.6	1.4	1.4	1.2	1.2	2.4	1.5	N
2.0	2.0	2.0	2.0	2.0	2.0	2.5	2.0	N1
1.2	1.2	-	-	1.5/3.0	1.5/3.0	0.8	-	D
0.6	0.6	0.6	0.6	0.8	0.8	0.6	0.5	S
MS	MS	CU	CU	BZ	BZ	BZ	BZ	
2,000	5,400	2,000	2,000	2,000	2,000	2,000	2,000	1)
2010 3565	2000 0024	2000 0765	2000 0765	2000 0753	2000 0041	-	2000 0765	2)

- 1) Packing pcs
2) Tooling